


CPP 330

48" x 40" Industrial Pallet




Send & Forget

Technical Data:

CPP 330 ACM - Light-Duty

Load Capacity* ¹		Dimensions* ²	48" x 40" x 5.5"
Static	5000 lbs	Weight* ²	22.5 lbs
Dynamic	2200 lbs	Material	ACM, recycled material
Racking	—	Color	black
		Bottom Support	9 feet
		Entry	4-way
		Safety Rim	0.2"
		Nesting Height	1.9"

*¹ Guideline values, based on experience and partly ISO tests ISO 8611 which represent an evenly distributed load at room temperature of 68°F (20°C). Varying data may result from different conditions of usage. We check your requirements on request. *² The pallet dimensions and weight are variable.



One-Way - ACM



Nestable one-way pallet in industrial size

- > Cost effective
- > Light weight and low height
- > Easy and safe to handle
- > Reduced freight charge by volume saving:
36 pallets = 6 ft. height
- > Resistant to insects, bacteria and fungi
- > No sirex treatment required
- > Environmentally friendly product of 100%
regenerated plastics, completely recyclable
- > Options
 - Snap-on bottom skids – see CPP 333
 - Snap-on perimeter-base - see CPP 335
 - Snap-on cruciform perimeter-base - see CPP 336
 - Individual marking*³
*³ minimum quantity required
- > Additional Material Versions
 - Multi-trip pallet made of
PE virgin material and PE recycled material

We reserve the right to change any of the stated information without prior notice.


 **CABKA | North America**

Distributor:

Universal Containers Inc.
1-800-500-0980
32549 Mesa Lilac Rd.
Escondido, CA 92026

CPP 330

48" x 40" Industrial Pallet



CPP

Cabka Plast meets the high standard of ISO 9001:2000. Our certified quality management comprises both the manufacturing of our products and the cooperation with our customers.



In addition to that CPP plastic pallets are regularly tested in accordance with the relevant elements of the standard ISO 8611.

All this guarantees our permanent quality to meet the demands of the market and the customers.

Cabka Plast products are manufactured in Germany, Israel and North America, giving our customers, wherever they are, a crucial advantage in being able to choose the shortest, fastest and cheapest route for

product to market.

Our wide range of plastic pallets provides solutions for the most diverse areas of application. Our development department and our own tool design and construction enables us to satisfy even fancy requirements of our customers. Do profit by the decades of our experience.



nominal sizes in inches

Overview of Available Material Versions


CPP 330	Material	Load Capacity*1 [lbs]			Weight*2 [lbs]	
		Static	Dynamic	Racking		
Multi-Trip	PE, recycled material*4 Details in kg:	7500	3000	—	21.0	
		3400	1400	—	9.5	
One-Way	ACM, recycled material Details in kg:	5000	2200	—	22.5	
		2300	1000	—	10.0	

*1 Guideline values, based on experience and partly ISO tests ISO 8611 which represent an evenly distributed load at room temperature of 68°F (20°C). Varying data may result from different conditions of usage. We check your requirements on request. *2 The pallet dimensions and weight are variable. *4 This material is also available in virgin material. Equal load capacities and weight.



CPP 335

48 x 40 Industrial Pallet



Industrial size pallet with snap-on perimeter-base

	Dimensions *2		Load Capacities *1			Weight *2		5	
	length x width x height	< in / < mm	static	dynamic	racking	ACM	PE/PP		
CPP 335	48.0 x 40.0 x 5.9 1219 x 1016 x 150	< in / < mm	lbs > / kg >	17600 / 8000	2600 - 5300 / 1200 - 2400	1300 / 600	32.0 / 14.5	30.0 / 13.5	


Technical Data

Color	black
Bottom support	perimeter-base
Entry	4-way
Safety rim	0.2 in (5mm) optional
Nesting height	without skids 1.9 in (48mm)

Additional Options

- Design without skids – see CPP 330
- 3 snap-on bottom skids – see CPP 333
- Snap-on cruciform perimeter-base – see CPP 336
- Individual marking*3
- Custom-made color (only virgin material)*3

*1 Guideline values are based both on experience and parts of test ISO 8611, which tests with evenly distributed loads at room temperature (68°F / 20°C). Varying data may result from different conditions of usage. Your specific requirements can be identified upon request. *2 The pallet dimensions and weight are variable. *3 Minimum quantity required *4 Virgin PE material is also available, with equivalent load capacities and weight. - We reserve the right to change any of the stated information without prior notice.



- > Cost effective
- > Easy and save to handle
- > Reduced freight charge by self assembly of snap-on bottom skids, volume saving up to 65%
- > Resistant to insects, bacteria and fungi
- > Conforms to ISPM 15 regulation
- > Environmentally friendly product of 100% recycled plastic, completely recyclable




The perimetric bottom deck with 5 skids enables ideal footing in block stacking and eases access with pallet jack.



CABKA North America, Inc.
 105 Byassee Drive | St. Louis, MO 63042 | USA
 phone +1.314.731.0302 (x438 for sales support)
 fax +1.314.731.3857
 e-mail pallets@cabka.com
www.cabka.com

CPP 335

48 x 40 Industrial Pallet



CPP Plastic Pallets

CABKA meets the high standards for ISO 9001:2000. Our certified quality management encompasses not only product manufacturing, but customer service as well.

In addition, CPP plastic pallets are regularly tested in accordance with relevant elements of the standard ISO 8611. All this guarantees that our quality products




meet the demands of the market and our customers.

CABKA products are manufactured in North America, Germany and Spain, giving our customers, wherever they are, a crucial advantage to choose the shortest, fastest and cheapest route for getting product to market.


CABKA's wide range of plastic pallets provides solutions for a diverse array of applications. Through our development department, with our own tool designs and construction, we can meet even unusual requests from our customers. In every way, you profit from our decades of experience.



Technical Drawing



nominal sizes in inches



CABKA

www.cabka.com