

Straight Wall Containers

Buckhorn's reusable Straight Wall Containers deliver total cost savings and efficiency throughout the supplier-to-manufacturer material handling process. Our stack-only modular containers cube 48" x 45" pallets and are ideal for closed loop shipping, work in process handling and storage applications where the same containers are used throughout.

Features and Benefits

- Available with smooth bottoms (SW models) or reinforced cross cube bottoms (SX models)
- Reinforced sides and bottoms enhance product protection
- Modular sizes allow mixed container sizes to stack on a pallet
- Perimeter dust skirt for added product protection
- Ergonomic handles for easy lifting
- Injection-molded HDPE construction resists impact, moisture and most chemicals
- Use with temperatures of -20° to 120° F
- Customization and identification options available
- Backed by a one-year limited warranty
- 100% recyclable

Options


- Drain Holes
- Hot Stamps
- ID Labels
- Label Placards
- Cardholders
- Bar Coding
- Sequential Numbering
- Standard Colors

See p. 83-86 for more information.

Compatible Components

Hand-Held Container	Lid	Pallet
SW120705F1, SW24111002, SW32150802	-	PM32300632, PN48450633, PO48450632, PW48400622, PW48400632, PW48450622, PW48450632
SW48150802, SX48150800	-	PN48450633, PO48450632, PW48400622, PW48400632, PW48450622, PW48450632
SW151205F1, SW151207F1, SW151209F1, SX151205F1, SX151207F1, SX151209F1	SL15120100	PM32300632, PN48450633, PO48450632, PW48400622, PW48400632, PW48450622, PW48450632
SW241504A2, SW241505F1, SW241507F1, SW241509F1, SW241511F1, SW241514F1, SX241504A4, SX241505F1, SX241507F1, SX241509F1, SX241511F1, SX241514F1	SL24150100	PM32300632, PN48450633, PO48450632, PW48400622, PW48400632, PW48450622, PW48450632
SW242207F1, SW242209F1, SW242211F1, SW242214F1, SX242207F1, SX242209F1, SX242211F1, SX242214F1	SL24220100	PM32300632, PN48450633, PO48450632, PW48400622, PW48400632, PW48450622, PW48450632

See p. 50 and 80-82 for more information.



Straight Wall Containers *(Specifications on next page.)*



Optimize Space
Interworking sizes allow mixed stacking on a pallet

Optimum Configuration
Containers cube 48" x 45" pallets



TN48450200

PN48450633
See p. 80-82 for more information.

Did You Know...?

Our SX model cross cube containers have a special bottom grid design that facilitates stacking of larger containers on top of smaller containers.

- Optimize pallet space with vertically modular loads
- Improve line space usage
- Sequence parts by usage
- Reinforced bottom for secure stacking



Straight Wall Specifications

Model No.	Footprint	Description	Dimensions (in.)						Weight Tare lbs.	Capacity Volume (cu. ft.)	Shipping Truck Capacity 53'
			Outside Top			Inside Bottom					
			L" (A)	W" (B)	H" (C)	L" (D)	W" (E)	Usable H" (F)			
Standard, Smooth Bottom											
SW120705F1	12" x 7" x 5"	Contemporary	12.0	7.0	5.0	9.5	5.6	4.4	1.1	0.1	11232
			304.8	177.8	127.0	241.3	142.2	111.8	0.5	2.8	
SW151205F1	15" x 12" x 5"	Contemporary	15.0	12.0	5.0	13.1	9.5	4.4	1.8	0.3	5616
			381.0	304.8	127.0	332.7	241.3	111.8	0.8	8.5	
SW151207F1	15" x 12" x 7"	Contemporary	15.0	12.0	7.5	13.1	9.5	6.9	2.4	0.5	3744
			381.0	304.8	190.5	332.7	541.3	175.3	1.1	14.2	
SW151209F1	15" x 12" x 9"	Contemporary	15.0	12.0	9.5	13.1	9.5	8.9	2.7	0.6	2808
			381.0	304.8	241.3	332.7	241.3	226.1	1.2	17.0	
SW24111002	24" x 11" x 10"	Classic	24.0	11.0	9.5	21.4	9.1	8.9	4.5	1.0	2160
			609.6	279.4	241.3	543.6	231.1	226.1	2.0	28.3	
SW241504A2	24" x 15" x 4"	Classic	24.0	15.0	4.0	21.4	13.0	3.3	2.9	0.5	3744
			609.6	381.0	101.6	543.6	330.2	83.8	1.3	14.2	
SW241505F1	24" x 15" x 5"	Contemporary	24.0	15.0	5.0	21.5	13.1	4.4	2.9	0.7	2808
			609.6	381.0	127.0	546.1	332.7	111.8	1.3	19.8	
SW241507F1	24" x 15" x 7"	Contemporary	24.0	15.0	7.5	21.5	13.1	6.9	3.7	1.1	1872
			609.6	381.0	190.5	546.1	332.7	175.3	3.2	31.1	
SW241509F1	24" x 15" x 9"	Contemporary	24.0	15.0	9.5	21.5	13.1	8.9	4.2	1.5	1404
			609.6	381.0	241.3	546.1	332.7	226.1	1.9	42.5	
SW241511F1	24" x 15" x 11"	Contemporary	24.0	15.0	11.0	21.5	13.1	10.4	4.7	1.7	1248
			609.6	381.0	279.4	546.1	332.7	264.2	2.1	48.1	
SW241514F1	24" x 15" x 14"	Contemporary	24.0	15.0	14.5	21.5	13.1	13.9	5.8	2.3	936
			609.6	381.0	368.3	546.1	332.7	353.1	2.6	65.1	
SW242207F1	24" x 22" x 7"	Contemporary	24.0	22.5	7.5	21.5	20.6	6.9	4.9	1.8	1352
			609.6	571.5	190.5	546.1	523.2	175.3	2.2	51.0	
SW242209F1	24" x 22" x 9"	Contemporary	24.0	22.5	8.7	21.5	20.6	8.1	5.3	2.1	1144
			609.6	571.5	221.0	546.1	523.2	205.7	2.4	59.5	
SW242211F1	24" x 22" x 11"	Contemporary	24.0	22.5	11.0	21.5	20.6	10.4	6.0	2.7	936
			609.6	571.5	279.4	546.1	523.2	264.2	2.7	76.5	
SW242214F1	24" x 22" x 14"	Contemporary	24.0	22.5	14.5	21.5	20.6	13.9	7.6	3.6	624
			609.6	571.5	368.3	546.1	523.2	353.1	3.4	101.9	
SW32150802	32" x 15" x 8"	Classic	32.0	15.0	7.5	29.4	13.0	6.8	5.1	1.5	1248
			812.8	381.0	190.5	746.8	330.2	172.7	2.3	42.5	
SW48150802	48" x 15" x 8"	Classic	48.0	15.0	7.5	45.4	13.0	6.8	7.5	2.4	936
			1219.2	381.0	190.5	1153.2	330.2	172.7	3.4	68.0	




SW120705F1

SW151205F1
SX151205F1SW241505F1
SX241505F1SW241514F1
SX241514F1

Straight Wall Specifications

Model No.	Footprint	Description	Dimensions (in.)						Weight Tare lbs.	Capacity Volume (cu. ft.)	Shipping Truck Capacity 53'
			Outside Top			Inside Bottom					
			L" (A)	W" (B)	H" (C)	L" (D)	W" (E)	Usable H" (F)			
Cross Cube Bottom											
SX151205F1	15" x 12" x 5"	Contemporary	15.0	12.0	5.0	13.1	9.5	3.9	2.0	0.3	5616
			381.0	304.8	127.0	332.7	241.3	99.1	0.9	8.5	
SX151207F1	15" x 12" x 7"	Contemporary	15.0	12.0	7.5	13.1	9.5	6.4	2.5	0.5	3744
			381.0	304.8	190.5	332.7	241.3	162.6	1.1	14.2	
SX151209F1	15" x 12" x 9"	Contemporary	15.0	12.0	9.5	13.1	9.5	8.4	2.9	0.6	2808
			381.0	304.8	241.3	332.7	241.3	213.4	1.3	17.0	
SX241504A4	24" x 15" x 4"	Classic	24.0	15.0	4.0	21.4	13.0	2.8	3.6	0.5	3744
			609.6	381.0	101.6	543.6	330.2	71.1	1.6	14.2	
SX241505F1	24" x 15" x 5"	Contemporary	24.0	15.0	5.0	21.5	13.1	3.9	3.4	0.7	2808
			609.6	381.0	127.0	546.1	332.7	99.1	1.5	19.8	
SX241507F1	24" x 15" x 7"	Contemporary	24.0	15.0	7.5	21.5	13.1	6.4	4.2	1.1	1872
			609.6	381.0	190.5	546.1	332.7	162.6	1.9	31.1	
SX241509F1	24" x 15" x 9"	Contemporary	24.0	15.0	9.5	21.5	13.1	8.4	4.6	1.5	1404
			609.6	381.0	241.3	546.1	332.7	213.4	2.1	42.5	
SX241511F1	24" x 15" x 11"	Contemporary	24.0	15.0	11.0	21.5	13.1	9.9	5.0	1.7	1248
			609.6	381.0	279.4	546.1	332.7	251.5	2.3	48.1	
SX241514F1	24" x 15" x 14"	Contemporary	24.0	15.0	14.5	21.5	13.1	13.4	5.9	2.3	936
			609.6	381.0	368.3	546.1	332.7	340.4	2.7	65.1	
SX242207F1	24" x 22" x 7"	Contemporary	24.0	22.4	7.5	21.5	20.6	6.4	5.5	1.8	1352
			609.6	569.0	190.5	546.1	523.2	162.6	2.5	51.0	
SX242209F1	24" x 22" x 9"	Contemporary	24.0	22.4	8.7	21.5	20.6	7.6	5.9	2.1	1144
			609.6	569.0	221.0	546.1	523.2	193.0	2.7	59.5	
SX242211F1	24" x 22" x 11"	Contemporary	24.0	22.4	11.0	21.5	20.6	9.9	6.6	2.7	936
			609.6	569.0	279.4	546.1	523.2	251.5	3.0	76.5	
SX242214F1	24" x 22" x 14"	Contemporary	24.0	22.4	14.5	21.5	20.6	13.4	8.3	3.6	624
			609.6	569.0	368.3	546.1	523.2	340.4	3.8	101.9	
SX48150800	48" x 15" x 8"	Classic	48.0	15.0	7.5	45.4	13.0	6.3	9.0	2.2	936
			1219.2	381.0	190.5	1153.2	330.2	160.0	4.1	62.3	



Capacity is dependent upon application and use environment. Check with Buckhorn for suitability in your application. Specifications subject to change without notice. All dimensions are approximate.



INCREASING YOUR PRODUCTIVITY

DACO

MATERIAL HANDLING & PACKAGING SOLUTIONS

www.DACOcorp.com

800-345-3226



SW242207F1
SX242207F1



SW242209F1
SX242209F1



SW242211F1
SX242211F1



SW242214F1
SX242214F1