




Part Number	Replacement Parts	Descriptions and Specs	Suggested For																		
 <p>AG-241</p>	<table border="1"> <tr> <td>EL-09</td> <td>2</td> <td>40 watt 48" F40T8350BL</td> </tr> <tr> <td>EL-03</td> <td>1</td> <td>4000V 9ma Transformer</td> </tr> <tr> <td>EL-17</td> <td>2</td> <td>Ballast</td> </tr> <tr> <td>EL-30</td> <td>2</td> <td>Starter</td> </tr> <tr> <td>EL-36</td> <td>1</td> <td>Microswitch</td> </tr> <tr> <td>EL-42</td> <td>12</td> <td>Ceramic Grid Insulator</td> </tr> </table>	EL-09	2	40 watt 48" F40T8350BL	EL-03	1	4000V 9ma Transformer	EL-17	2	Ballast	EL-30	2	Starter	EL-36	1	Microswitch	EL-42	12	Ceramic Grid Insulator	<ul style="list-style-type: none"> <li>• 24-hour, non-chemical trapping</li> <li>• No glue board replacement cost</li> <li>• Color &amp; Material: Silver - Aluminum</li> <li>• Attraction range: 3,500 sq. ft. (70 lineal ft.)</li> <li>• UV Light output: 80 watts</li> <li>• UL Listed; 115v/60hz, with 6' cord</li> <li>• FDA &amp; USDA accepted under current code</li> <li>• Dimensions: 55"W x 16.5"H x 5"D</li> <li>• Warranty: 3 year</li> </ul>	<ul style="list-style-type: none"> <li>• Backrooms</li> <li>• Loading Docks</li> <li>• Entryways of Receiving Doors</li> <li>• Warehouses</li> <li>• Non-food areas</li> </ul>
EL-09	2	40 watt 48" F40T8350BL																			
EL-03	1	4000V 9ma Transformer																			
EL-17	2	Ballast																			
EL-30	2	Starter																			
EL-36	1	Microswitch																			
EL-42	12	Ceramic Grid Insulator																			
 <p>AG-661</p>	<table border="1"> <tr> <td>EL-09</td> <td>2</td> <td>40 watt 48" F40T8350BL</td> </tr> <tr> <td>EL-03</td> <td>1</td> <td>4000V 9ma Transformer</td> </tr> <tr> <td>EL-17</td> <td>2</td> <td>Ballast</td> </tr> <tr> <td>EL-30</td> <td>2</td> <td>Starter</td> </tr> <tr> <td>EL-36</td> <td>1</td> <td>Micro switch</td> </tr> <tr> <td>EL-42</td> <td>12</td> <td>Ceramic Grid Insulator</td> </tr> </table>	EL-09	2	40 watt 48" F40T8350BL	EL-03	1	4000V 9ma Transformer	EL-17	2	Ballast	EL-30	2	Starter	EL-36	1	Micro switch	EL-42	12	Ceramic Grid Insulator	<ul style="list-style-type: none"> <li>• 24-hour, non-chemical trapping</li> <li>• No glue board replacement cost</li> <li>• Color &amp; Material: Silver - Aluminum</li> <li>• Attraction range: 200 lineal ft.</li> <li>• UV Light output: 80 watts</li> <li>• UL Listed; 115v/60hz, with 6' cord</li> <li>• FDA &amp; USDA accepted under current code</li> <li>• Dimensions: 56"W x 20.5"H x 6.75"D</li> <li>• Warranty: 1 year</li> </ul>	<ul style="list-style-type: none"> <li>• Boat Docks</li> <li>• Parking Lots</li> <li>• Outside Stadium entry ways</li> <li>• Agriculture Industry</li> <li>• Warehouses</li> <li>• Outdoor Areas</li> </ul>
EL-09	2	40 watt 48" F40T8350BL																			
EL-03	1	4000V 9ma Transformer																			
EL-17	2	Ballast																			
EL-30	2	Starter																			
EL-36	1	Micro switch																			
EL-42	12	Ceramic Grid Insulator																			
 <p>AG-963</p>	<table border="1"> <tr> <td>EL-27 E</td> <td>2</td> <td>Lampholder</td> </tr> <tr> <td>EL-05</td> <td>2</td> <td>25 watt 18" F25T8</td> </tr> <tr> <td>EL-42</td> <td>8</td> <td>Ceramic grid insulator</td> </tr> <tr> <td>EL-36</td> <td>1</td> <td>Microswitch</td> </tr> <tr> <td>EL-03</td> <td>1</td> <td>4000V 9ma Transformer</td> </tr> <tr> <td>EL-18E</td> <td>2</td> <td>Ballast</td> </tr> </table>	EL-27 E	2	Lampholder	EL-05	2	25 watt 18" F25T8	EL-42	8	Ceramic grid insulator	EL-36	1	Microswitch	EL-03	1	4000V 9ma Transformer	EL-18E	2	Ballast	<ul style="list-style-type: none"> <li>• 24-hour, non-chemical trapping</li> <li>• No glue board replacement cost</li> <li>• Color &amp; Material: Aluminized Steel</li> <li>• UL Listed; 115v/60hz, with 6' cord</li> <li>• FDA &amp; USDA accepted under current code</li> <li>• Attraction range: 1,800 sq. ft. (45 lineal ft.)</li> <li>• UV light output: 50 watts</li> <li>• Dimensions: 15"W x 26"H x 5"D</li> <li>• Warranty: 3 year</li> </ul>	<ul style="list-style-type: none"> <li>• Backrooms</li> <li>• Loading Docks</li> <li>• Entryways of Receiving Doors</li> <li>• Warehouses</li> <li>• Non-food areas</li> </ul>
EL-27 E	2	Lampholder																			
EL-05	2	25 watt 18" F25T8																			
EL-42	8	Ceramic grid insulator																			
EL-36	1	Microswitch																			
EL-03	1	4000V 9ma Transformer																			
EL-18E	2	Ballast																			



AG-969

EL-05	4	25 watt 18" F25T8
EL-18E	2	Ballast
EL-03	1	Transformer
EL-27E	8	Lampholder
EL-36	1	Microswitch
EL-42	8	Ceramic Grid Insulator

- 24-hour, non-chemical trapping
- No glue board replacement cost
- Color & Material: Silver - Aluminum
- Attraction range: 3,000 sq. ft. (70 lineal ft.)
- UV Light output: 100 watts
- UL Listed; 115v/60hz, with 6' cord
- FDA & USDA accepted under current code
- Dimensions: 19"W x 30"H x 5.75"D
- Warranty: 3 year

- Backrooms
- Loading Docks
- Entryways of Receiving Doors
- Agriculture Industry
- Warehouses
- Non-food areas



AG-970

EL-09	2	40 watt 48" F40T8350BL
EL-03	1	4000V 9ma Transformer
EL-17	1	Ballast
EL-36	1	Microswitch
EL-42	12	Ceramic Grid Insulator

- 24-hour, non-chemical trapping
- No glue board replacement cost
- Color & Material: Silver - Aluminum
- Attraction range: 2,500 sq. ft. (50 lineal ft.)
- UV Light output: 80 watts
- UL Listed; 115v/60hz, with 6' cord
- FDA & USDA accepted under current code
- Dimensions: 14"W x 57"H x 5.5"D
- Warranty: 3 year

- Backrooms
- Loading Docks
- Entryways of Receiving Doors
- Warehouses
- Non-food areas
- Placement: 1-2 feet










Fly Web Fly Light





EL-22	1	9 watt 9" PL9W
CS-64	100	3" x 5" White Glueboard
CS-65	100	3" x 5" Black Glueboard

- 24-hour, non-chemical trapping
- Energy-efficient U.V. Insect Lamps
- Color & Material: Light Gray - Polycarbonate
- Attraction Range: 600 sq. ft. (20 lineal ft.)
- UV Light output: 9 watts
- FDA & USDA accepted under current code
- UL approved/listed
- Dimensions: 3.5"W x 10.5"H x 1.75"D
- Glueboard: 1 - 3" x 5"
- Warranty: 1 year

- Homes
- Restaurants
- Hospitals
- Bars
- Under counters

 <p>GT-180</p>	<table border="1"> <tbody> <tr> <td>EL-06Q</td> <td>2</td> <td>15 watt 18" Quantum F15T8365BL</td> </tr> <tr> <td>EL-20</td> <td>1</td> <td>Ballast</td> </tr> <tr> <td>EL-62</td> <td>10</td> <td>9" x 16" Black Glueboard</td> </tr> <tr> <td>EL-63</td> <td>10</td> <td>3" x 19" Black Glueboard</td> </tr> </tbody> </table>	EL-06Q	2	15 watt 18" Quantum F15T8365BL	EL-20	1	Ballast	EL-62	10	9" x 16" Black Glueboard	EL-63	10	3" x 19" Black Glueboard	<ul style="list-style-type: none"> <li>• 24-hour, non-chemical trapping</li> <li>• Energy-efficient U.V. Insect Lamps</li> <li>• Color &amp; Material: White - Carbon Steel</li> <li>• Attraction range: 1,500 sq. ft. (40 lineal ft.)</li> <li>• UV Light output: 30 watts</li> <li>• Glueboard: 1 - 9" x 16", 1 - 3" x 19"</li> <li>• FDA &amp; USDA accepted under current code</li> <li>• UL approved/listed</li> <li>• Dimensions: 19.5"W x 11.5"H x 3.5"D</li> <li>• Warranty: 5 year</li> </ul>	<ul style="list-style-type: none"> <li>• Restaurants</li> <li>• Hospitals</li> <li>• Delis/Bakeries</li> <li>• Pharmaceutical</li> <li>• Food Manufacturing</li> <li>• Supermarkets</li> <li>• Office Buildings</li> <li>• Hallways</li> <li>• 3-6 feet above floor</li> </ul>									
EL-06Q	2	15 watt 18" Quantum F15T8365BL																						
EL-20	1	Ballast																						
EL-62	10	9" x 16" Black Glueboard																						
EL-63	10	3" x 19" Black Glueboard																						
 <p>GT-200</p>	<table border="1"> <tbody> <tr> <td>EL-05</td> <td>4</td> <td>25 watt 18" F25T8</td> </tr> <tr> <td>EL-18E</td> <td>1</td> <td>Ballast</td> </tr> <tr> <td>EL-62</td> <td>10</td> <td>9" x 16" Black</td> </tr> <tr> <td>EL-61</td> <td>10</td> <td>9" x 16" White</td> </tr> <tr> <td>EL-60</td> <td>10</td> <td>4" x 17" White</td> </tr> <tr> <td>EL60B</td> <td>10</td> <td>4" x 17" Black</td> </tr> <tr> <td>EL-27E</td> <td>4</td> <td>Lampholder</td> </tr> </tbody> </table>	EL-05	4	25 watt 18" F25T8	EL-18E	1	Ballast	EL-62	10	9" x 16" Black	EL-61	10	9" x 16" White	EL-60	10	4" x 17" White	EL60B	10	4" x 17" Black	EL-27E	4	Lampholder	<ul style="list-style-type: none"> <li>• 24-hour, non-chemical trapping</li> <li>• Energy-efficient U.V. Insect Lamps</li> <li>• Color &amp; Material: White - Carbon Steel</li> <li>• Attraction range: 1,800 sq. ft. (50 lineal ft.)</li> <li>• UV Light output: 50 watts</li> <li>• Glueboard: 1 - 9" x 16", 1 - 4" x 17"</li> <li>• FDA &amp; USDA accepted under current code</li> <li>• UL approved/listed</li> <li>• Dimensions: 18"W x 10"H x 6"D</li> <li>• Warranty: 5 year</li> </ul>	<ul style="list-style-type: none"> <li>• Restaurants</li> <li>• Hospitals</li> <li>• Delis/Bakeries</li> <li>• Pharmaceutical</li> <li>• Food Manufacturing</li> <li>• Supermarkets</li> <li>• Office Buildings</li> <li>• Hallways</li> </ul>
EL-05	4	25 watt 18" F25T8																						
EL-18E	1	Ballast																						
EL-62	10	9" x 16" Black																						
EL-61	10	9" x 16" White																						
EL-60	10	4" x 17" White																						
EL60B	10	4" x 17" Black																						
EL-27E	4	Lampholder																						
 <p>GT-215 White</p>	<table border="1"> <tbody> <tr> <td>EL-06</td> <td>1</td> <td>15 watt 18" F15T8350BL</td> </tr> <tr> <td>EL-61</td> <td>10</td> <td>9" x 16" White</td> </tr> <tr> <td>EL-62</td> <td>10</td> <td>9" x 16" Black</td> </tr> <tr> <td>EL-27E</td> <td>4</td> <td>Lampholder</td> </tr> </tbody> </table>	EL-06	1	15 watt 18" F15T8350BL	EL-61	10	9" x 16" White	EL-62	10	9" x 16" Black	EL-27E	4	Lampholder	<ul style="list-style-type: none"> <li>• 24-hour, non-chemical trapping</li> <li>• Energy-efficient U.V. Insect Lamps</li> <li>• Color &amp; Material: White or Stainless Steel</li> <li>• Attraction Range: 1,500 sq. ft. (40 lineal ft.)</li> <li>• UV Light output: 30 watts</li> <li>• FDA &amp; USDA accepted under current code</li> <li>• UL approved/listed, 115v/60hz, with 6' cord</li> <li>• Dimensions: 18.5"W x 12"H x 2.3"D</li> <li>• 5 year limited warranty</li> </ul>	<ul style="list-style-type: none"> <li>• Restaurants</li> <li>• Hospitals</li> <li>• Delis/Bakeries</li> <li>• Pharmaceutical</li> <li>• Food Manufacturing</li> <li>• Supermarkets</li> <li>• Office Buildings</li> <li>• Hallways</li> </ul>									
EL-06	1	15 watt 18" F15T8350BL																						
EL-61	10	9" x 16" White																						
EL-62	10	9" x 16" Black																						
EL-27E	4	Lampholder																						
 <p>GT-215 Stainless</p>	<table border="1"> <tbody> <tr> <td>EL-06</td> <td>1</td> <td>15 watt 18" F15T8350BL</td> </tr> <tr> <td>EL-61</td> <td>10</td> <td>9" x 16" White</td> </tr> <tr> <td>EL-62</td> <td>10</td> <td>9" x 16" Black</td> </tr> <tr> <td>EL-27E</td> <td>4</td> <td>Lampholder</td> </tr> </tbody> </table>	EL-06	1	15 watt 18" F15T8350BL	EL-61	10	9" x 16" White	EL-62	10	9" x 16" Black	EL-27E	4	Lampholder	<ul style="list-style-type: none"> <li>• 24-hour, non-chemical trapping</li> <li>• Energy-efficient U.V. Insect Lamps</li> <li>• Color &amp; Material: White or Stainless Steel</li> <li>• Attraction Range: 1,500 sq. ft. (40 lineal ft.)</li> <li>• UV Light output: 30 watts</li> <li>• FDA &amp; USDA accepted under current code</li> <li>• UL approved/listed, 115v/60hz, with 6' cord</li> <li>• Dimensions: 18.5"W x 12"H x 2.3"D</li> <li>• 5 year limited warranty</li> </ul>	<ul style="list-style-type: none"> <li>• Restaurants</li> <li>• Hospitals</li> <li>• Delis/Bakeries</li> <li>• Pharmaceutical</li> <li>• Food Manufacturing</li> <li>• Supermarkets</li> <li>• Office Buildings</li> <li>• Hallways</li> </ul>									
EL-06	1	15 watt 18" F15T8350BL																						
EL-61	10	9" x 16" White																						
EL-62	10	9" x 16" Black																						
EL-27E	4	Lampholder																						

 <p>GT-220</p>	<table border="1"> <tr> <td>EL-07</td> <td>2</td> <td>20 watt 24" F20T12350BL</td> </tr> <tr> <td>EL-07S</td> <td>2</td> <td>20 watt 24" F20T12350BL</td> </tr> <tr> <td>EL-58</td> <td>24</td> <td>5" x 22" White</td> </tr> <tr> <td>EL-59</td> <td>24</td> <td>5" x 22" Black</td> </tr> <tr> <td>EL-17D</td> <td>1</td> <td>Ballast</td> </tr> <tr> <td>EL27E</td> <td>4</td> <td>Lampholder</td> </tr> </table>	EL-07	2	20 watt 24" F20T12350BL	EL-07S	2	20 watt 24" F20T12350BL	EL-58	24	5" x 22" White	EL-59	24	5" x 22" Black	EL-17D	1	Ballast	EL27E	4	Lampholder	<ul style="list-style-type: none"> <li>• 24-hour, non-chemical trapping</li> <li>• Energy-efficient U.V. Insect Lamps</li> <li>• Color &amp; Material: Aluminum - Will Not Rust</li> <li>• Attraction Range: 1,800 sq. ft. (50 lineal ft.)</li> <li>• UV Light output: 2 - 20-watt lamps</li> <li>• FDA &amp; USDA accepted under current code</li> <li>• UL approved/listed, 115v/60hz, with 6' cord</li> <li>• Dimensions: 24.75"W x 9"H x 3.75"D</li> <li>• 5 year limited warranty</li> </ul>	<ul style="list-style-type: none"> <li>• Restaurants</li> <li>• Hospitals</li> <li>• Delis/Bakeries</li> <li>• Pharmaceutical</li> <li>• Food Manufacturing</li> <li>• Supermarkets</li> <li>• Office Buildings</li> <li>• Hallways</li> </ul>
EL-07	2	20 watt 24" F20T12350BL																			
EL-07S	2	20 watt 24" F20T12350BL																			
EL-58	24	5" x 22" White																			
EL-59	24	5" x 22" Black																			
EL-17D	1	Ballast																			
EL27E	4	Lampholder																			
 <p>Drain Fruit Fly Trap DF-2000</p>	<p>No Replacement Parts</p>	<p>Gardner's Drain/Fruit Fly traps are an easy-to-use method of trapping pesky drain/fruit flies in industrial and commercial areas. Traps are made from lightweight food grade plastic, and are disposable. Simply add your own attractant (banana or vinegar) to lure insects into entry holes in the bottom of trap. Adhesive pre-applied to interior will capture and trap insects. Hang or place flat in the areas of need. Trap is 4.75" in diameter, 2.25" tall.</p>	<ul style="list-style-type: none"> <li>• Restaurants</li> <li>• Hospitals</li> <li>• Delis/Bakeries</li> <li>• Pharmaceutical</li> <li>• Food Manufacturing</li> <li>• Supermarkets</li> <li>• Office Buildings</li> <li>• Hallways</li> <li>• Place near source</li> </ul>																		
 <p>MX-360</p>	<table border="1"> <tr> <td>EL-61</td> <td>3</td> <td>9" x 16" White</td> </tr> <tr> <td>EL-05</td> <td>4</td> <td>25 watt 18" F25T8</td> </tr> <tr> <td>EL-18</td> <td>4</td> <td>Ballast</td> </tr> <tr> <td>EL-27E</td> <td>4</td> <td>Lampholder</td> </tr> </table>	EL-61	3	9" x 16" White	EL-05	4	25 watt 18" F25T8	EL-18	4	Ballast	EL-27E	4	Lampholder	<ul style="list-style-type: none"> <li>• 24-hour, non-chemical trapping</li> <li>• Sanitary white enamel finish</li> <li>• Attraction range: 360° covering 5,000 sq. ft.</li> <li>• FDA &amp; USDA accepted under current code</li> <li>• UV Light output: 100 watts</li> <li>• UL listed, 115v/80hz</li> <li>• Dimensions: 20"W x 12"H x 9.5"D</li> <li>• Warranty: 5 year limited warranty</li> </ul>	<ul style="list-style-type: none"> <li>• Restaurants</li> <li>• Hospitals</li> <li>• Delis/Bakeries</li> <li>• Pharmaceutical</li> <li>• Food Manufacturing</li> <li>• Supermarkets</li> <li>• Office Buildings</li> <li>• Hallways</li> <li>• Place near source</li> </ul>						
EL-61	3	9" x 16" White																			
EL-05	4	25 watt 18" F25T8																			
EL-18	4	Ballast																			
EL-27E	4	Lampholder																			

 <p>GT-480</p>	<table border="1"> <tr> <td>EL-61</td> <td>3</td> <td>9" x 16" White</td> </tr> <tr> <td>EL-09</td> <td>1</td> <td>40 watt 48" F40T8350BL</td> </tr> <tr> <td>EL-17</td> <td>1</td> <td>Ballast</td> </tr> <tr> <td>EL-27E</td> <td>4</td> <td>Lampholder</td> </tr> </table>	EL-61	3	9" x 16" White	EL-09	1	40 watt 48" F40T8350BL	EL-17	1	Ballast	EL-27E	4	Lampholder	<ul style="list-style-type: none"> <li>• 24-hour, non-chemical trapping</li> <li>• Attraction Range: 3,500 sq. ft.</li> <li>• 656 sq. in. of trapping surface</li> <li>• UV Light output: 80 watts</li> <li>• FDA &amp; USDA accepted under current code</li> <li>• UL approved/listed</li> <li>• Dimensions: 51"W x 10.7"H x 4.75"D</li> <li>• Warranty: 5 year limited warranty</li> </ul>	<ul style="list-style-type: none"> <li>• Restaurants</li> <li>• Hospitals</li> <li>• Delis/Bakeries</li> <li>• Pharmaceutical</li> <li>• Food Manufacturing</li> <li>• Supermarkets</li> <li>• Office Buildings</li> <li>• Agriculture Industry</li> <li>• Placement: 3-6 feet</li> </ul>						
EL-61	3	9" x 16" White																			
EL-09	1	40 watt 48" F40T8350BL																			
EL-17	1	Ballast																			
EL-27E	4	Lampholder																			
 <p>AG-961</p>	<table border="1"> <tr> <td>EL-05</td> <td>4</td> <td>25 watt 18" F25T8</td> </tr> <tr> <td>EL-03</td> <td>1</td> <td>4000V 9ma Transformer</td> </tr> <tr> <td>EL-18</td> <td>2</td> <td>Ballast</td> </tr> <tr> <td>EL-27E</td> <td>2</td> <td>Lampholder</td> </tr> <tr> <td>EL-36</td> <td>1</td> <td>Microswitch</td> </tr> <tr> <td>EL-42</td> <td>8</td> <td>Ceramic Grid Insulator</td> </tr> </table>	EL-05	4	25 watt 18" F25T8	EL-03	1	4000V 9ma Transformer	EL-18	2	Ballast	EL-27E	2	Lampholder	EL-36	1	Microswitch	EL-42	8	Ceramic Grid Insulator	<ul style="list-style-type: none"> <li>• 24-hour, non-chemical trapping</li> <li>• No glue board replacement cost</li> <li>• Color &amp; Material: Silver - Aluminum</li> <li>• Attraction range: 2,500 sq. ft. (50 lineal ft.)</li> <li>• UV light output: 50 watts</li> <li>• UL Listed; 115v/60hz, with 6' cord</li> <li>• FDA &amp; USDA accepted under current code</li> <li>• Attraction range: 2,500 sq. ft. (50 lineal ft.)</li> <li>• Dimensions: 26"W x 14"H x 5.5"D</li> <li>• Warranty: 3 year</li> </ul>	<ul style="list-style-type: none"> <li>• Backrooms</li> <li>• Loading Docks</li> <li>• Entryways of Receiving Doors</li> <li>• Agriculture Industry</li> <li>• Warehouses</li> <li>• Non-food areas</li> <li>• Placement: 3-6 feet</li> </ul>
EL-05	4	25 watt 18" F25T8																			
EL-03	1	4000V 9ma Transformer																			
EL-18	2	Ballast																			
EL-27E	2	Lampholder																			
EL-36	1	Microswitch																			
EL-42	8	Ceramic Grid Insulator																			
 <p>RG-1002</p>	<table border="1"> <tr> <td>EL-09</td> <td>2</td> <td>40 watt 48" F40T8350BL</td> </tr> <tr> <td>EL-03</td> <td>1</td> <td>4000V 9ma Transformer</td> </tr> <tr> <td>EL-17</td> <td>2</td> <td>Ballast</td> </tr> <tr> <td>EL-36</td> <td>1</td> <td>Microswitch</td> </tr> <tr> <td>EL-42</td> <td>12</td> <td>Ceramic Grid Insulator</td> </tr> </table>	EL-09	2	40 watt 48" F40T8350BL	EL-03	1	4000V 9ma Transformer	EL-17	2	Ballast	EL-36	1	Microswitch	EL-42	12	Ceramic Grid Insulator	<ul style="list-style-type: none"> <li>• 24-hour, non-chemical trapping</li> <li>• No glue board replacement cost</li> <li>• Color &amp; Material: White - Steel (RG-1002) Aluminized Steel (RG-1002T)</li> <li>• Attraction range: 2,500 sq. ft. (50 lineal ft.)</li> <li>• UV Light output: 80 watts</li> <li>• UL Listed; 115v/60hz, with 6' cord</li> <li>• FDA &amp; USDA accepted under current code</li> <li>• Dimensions: 14"W x 57"H x 5.5"D</li> <li>• Warranty: 3 year</li> </ul>	<ul style="list-style-type: none"> <li>• Backrooms</li> <li>• Loading Docks</li> <li>• Entryways of Receiving Doors</li> <li>• Warehouses</li> <li>• Non-food areas</li> <li>• Placement: 1-2 feet</li> <li>• Corner Mount</li> </ul>			
EL-09	2	40 watt 48" F40T8350BL																			
EL-03	1	4000V 9ma Transformer																			
EL-17	2	Ballast																			
EL-36	1	Microswitch																			
EL-42	12	Ceramic Grid Insulator																			
 <p>Trapple Fruit Fly Trap TR-02-12</p>	<table border="1"> <tr> <td>TR-06F</td> <td>24</td> <td>1 glueboard, 1 attractant cup</td> </tr> </table>	TR-06F	24	1 glueboard, 1 attractant cup	<ul style="list-style-type: none"> <li>• Attractant cup &amp; gluecard: - are non-toxic, natural attractants, last 30-45 days</li> <li>• Replacement attractant cups and gluecards are available</li> </ul>	<ul style="list-style-type: none"> <li>• Anywhere fruit flies are a problem</li> <li>• Fruit bowls</li> <li>• Counter/Table tops</li> </ul>															
TR-06F	24	1 glueboard, 1 attractant cup																			




WS-85WH or WS-85GV

EL-06	1	15 watt 18" F15T8350BL
EL-60	10	4" x 17" White
EL-20A/350	1	Ballast
EL-27E	2	Lampholder

- 24-hour, non-chemical trapping
- Energy-efficient U.V. Insect Lamps
- Color & Material: White or Gold Vein Steel
- Attraction Range: 900 sq. ft. (25 lineal ft.)
- UV Light output: 15 watts
- Glueboard: 1 - 4" x 17"
- FDA & USDA accepted under current code
- UL approved/listed
- 24"W x 10"H x 5"D
- Warranty: 5 year

- Dining Areas
- Restaurants
- Hospitals
- Supermarkets
- Hallways
- Office Buildings
- Homes
- Deli's/Bakeries
- Placement: 5-6 feet




WS-95B

EL-08	2	25 watt 18" F25T8350BL
EL-57	1	5" x 17" White
EL-18E	1	Ballast

- 24-hour, non-chemical trapping
- Energy-efficient U.V. Insect Lamps
- Color & Material: White or Black
- Attraction Range: 1,800 sq. ft. (50 lineal ft.)
- UV Light output: 2 - 25 watt bulbs
- Glueboard: 1 - 5" x 17"
- FDA & USDA accepted under current code
- UL approved/listed
- 19"W x 11.5"H x 5.5"D
- Warranty: 5 year

- Dining Areas
- Restaurants
- Hospitals
- Supermarkets
- Hallways
- Office Buildings
- Homes
- Deli's/Bakeries
- Placement: 5-6 feet






WS-95GV

EL-08	2	25 watt 18" F25T8350BL
EL-57	1	5" x 17" White
EL-18E	1	Ballast

- 24-hour, non-chemical trapping
- Energy-efficient U.V. Insect Lamps
- Color & Material: White or Black
- Attraction Range: 1,800 sq. ft. (50 lineal ft.)
- UV Light output: 2 - 25 watt bulbs
- Glueboard: 1 - 5" x 17"
- FDA & USDA accepted under current code
- UL approved/listed
- 19"W x 11.5"H x 5.5"D
- Warranty: 5 year

- Dining Areas
- Restaurants
- Hospitals
- Supermarkets
- Hallways
- Office Buildings
- Homes
- Deli's/Bakeries
- Placement: 5-6 feet

 <p>WS-95S</p>	<table border="1"> <tbody> <tr> <td>EL-08</td> <td>2</td> <td>25 watt 18" F25T8350BL</td> </tr> <tr> <td>EL-57</td> <td>1</td> <td>5" x 17" White</td> </tr> <tr> <td>EL-18E</td> <td>1</td> <td>Ballast</td> </tr> </tbody> </table>	EL-08	2	25 watt 18" F25T8350BL	EL-57	1	5" x 17" White	EL-18E	1	Ballast	<ul style="list-style-type: none"> <li>• 24-hour, non-chemical trapping</li> <li>• Energy-efficient U.V. Insect Lamps</li> <li>• Color &amp; Material: White or Black</li> <li>• Attraction Range: 1,800 sq. ft. (50 lineal ft.)</li> <li>• UV Light output: 2 - 25 watt bulbs</li> <li>• Glueboard: 1 - 5" x 17"</li> <li>• FDA &amp; USDA accepted under current code</li> <li>• UL approved/listed</li> <li>• 19"W x 11.5"H x 5.5"D</li> <li>• Warranty: 5 year</li> </ul>	<ul style="list-style-type: none"> <li>• Dining Areas</li> <li>• Restaurants</li> <li>• Hospitals</li> <li>• Supermarkets</li> <li>• Hallways</li> <li>• Office Buildings</li> <li>• Homes</li> <li>• Deli's/Bakeries</li> <li>• Placement: 5-6 feet</li> </ul>			
EL-08	2	25 watt 18" F25T8350BL													
EL-57	1	5" x 17" White													
EL-18E	1	Ballast													
 <p>WS-95WH</p>	<table border="1"> <tbody> <tr> <td>EL-08</td> <td>2</td> <td>25 watt 18" F25T8350BL</td> </tr> <tr> <td>EL-57</td> <td>1</td> <td>5" x 17" White</td> </tr> <tr> <td>EL-18E</td> <td>1</td> <td>Ballast</td> </tr> </tbody> </table>	EL-08	2	25 watt 18" F25T8350BL	EL-57	1	5" x 17" White	EL-18E	1	Ballast	<ul style="list-style-type: none"> <li>• 24-hour, non-chemical trapping</li> <li>• Energy-efficient U.V. Insect Lamps</li> <li>• Color &amp; Material: White or Black</li> <li>• Attraction Range: 1,800 sq. ft. (50 lineal ft.)</li> <li>• UV Light output: 2 - 25 watt bulbs</li> <li>• Glueboard: 1 - 5" x 17"</li> <li>• FDA &amp; USDA accepted under current code</li> <li>• UL approved/listed</li> <li>• 19"W x 11.5"H x 5.5"D</li> <li>• Warranty: 5 year</li> </ul>	<ul style="list-style-type: none"> <li>• Dining Areas</li> <li>• Restaurants</li> <li>• Hospitals</li> <li>• Supermarkets</li> <li>• Hallways</li> <li>• Office Buildings</li> <li>• Homes</li> <li>• Deli's/Bakeries</li> <li>• Placement: 5-6 feet</li> </ul>			
EL-08	2	25 watt 18" F25T8350BL													
EL-57	1	5" x 17" White													
EL-18E	1	Ballast													
 <p>WS-225</p>	<table border="1"> <tbody> <tr> <td>EL-08</td> <td>2</td> <td>25 watt 18" F25T8350BL</td> </tr> <tr> <td>EL-61</td> <td>10</td> <td>9" x 16" White</td> </tr> <tr> <td>EL-62</td> <td>10</td> <td>9" x 16" Black</td> </tr> <tr> <td>EL-18E</td> <td>1</td> <td>Ballast</td> </tr> </tbody> </table>	EL-08	2	25 watt 18" F25T8350BL	EL-61	10	9" x 16" White	EL-62	10	9" x 16" Black	EL-18E	1	Ballast	<ul style="list-style-type: none"> <li>• 24-hour, non-chemical trapping</li> <li>• Energy-efficient U.V. Insect Lamps</li> <li>• Color &amp; Material: White</li> <li>• Attraction Range: 1,800 sq. ft. (50 lineal ft.)</li> <li>• UV Light output: 2 - 25 watt bulbs</li> <li>• Glueboard: 1 - 9" x 16"</li> <li>• FDA &amp; USDA accepted under current code</li> <li>• UL approved/listed</li> <li>• 20.25"W x 10"H x 6.75"D</li> <li>• Warranty: 5 year</li> </ul>	<ul style="list-style-type: none"> <li>• Dining Areas</li> <li>• Restaurants</li> <li>• Hospitals</li> <li>• Supermarkets</li> <li>• Hallways</li> <li>• Office Buildings</li> <li>• Homes</li> <li>• Deli's/Bakeries</li> <li>• Placement: 5-6 feet</li> </ul>
EL-08	2	25 watt 18" F25T8350BL													
EL-61	10	9" x 16" White													
EL-62	10	9" x 16" Black													
EL-18E	1	Ballast													