

Insect Light Traps

innovative

easy to use

**effective
designs**

**customer
focused**



Flying insects are drawn to the **FlyWeb Plus** U.V. light and trapped on the web-like adhesive boards. The front adhesive board can be removed for increased UV light output. All you need is an electrical outlet – just plug it in!

ATTRACTIVE, MODERN DESIGN

- 10 watt insect lamp with on/off switch
- Optional use of one or two 3"x5" glueboards
- Energy-efficient U.V. Insect Lamp
- Attraction Range: 800 sq. ft.
- FDA & USDA accepted under current code
- **1 year warranty**

PRODUCT	PART NUMBER
FlyWeb Plus (Patent# 6,886,292)	FW-10
Dimensions:	4.5"w x 10.25"h x 2.25"d
Color/Material:	White - Polycarbonate
UV Light Output:	10 watts
BULBS	PART NUMBER
10 watt - 9" PL10	EL-22-B
GLUEBOARD	PART NUMBER
3"x5" White - 100/box (10/10 packs)	CS-64+
3"x5" Black - 100/box (10/10 packs)	CS-65+



The **FlyWeb Classic** is designed for indoor where flying insects are drawn to the energy-efficient, 9 watt U.V. light and trapped on the web-like adhesive glue card. The compact size makes it perfect to hide while ridding your space of flying pests. Remove the protective coating on the adhesive board, insert it into the unit and the trap is set. All you need is an electrical outlet – just plug it in!

COMPACT AND ATTRACTIVE

- 24-hour, non-chemical trapping
- Uses one 3"x5" glueboard
- Energy-efficient U.V. Insect Lamp
- Attraction Range: 600 sq. ft.
- UL approved/listed
- FDA & USDA accepted under current code
- **1 year warranty**

PRODUCT	PART NUMBER
FlyWeb Classic (Patent# 6,886,292)	FW-9
Dimensions:	3.5"w x 10.5"h x 1.75"d
Color/Material:	Light Gray - Polycarbonate
UV Light Output:	9 watts
BULBS	PART NUMBER
9 watt - 9" PL9W	EL-22
GLUEBOARD	PART NUMBER
3"x5" White - 100/box (10/10 packs)	CS-64
3"x5" Black - 100/box (10/10 packs)	CS-65

EFFECTIVE CONTROL

- 25b EPA exempt
- Great for use in foaming applications – no foaming agent needed!
- Simplifies chemical rotation – no reapplication wait time.
- Can be used indoors directly on food processing equipment and food prep surfaces.
- Concentrate can be used with any foamer or sprayer. Just mix with water in 1:9 ratio for maximum effectiveness.

Listed below are detailed suggestions for use of FlyWeb Fruit Fly Spray in kitchens, back of bar areas and trash areas.

1. Foam all sink drains thoroughly. Let foam set for 45-60 minutes.
2. Foam drain line on soda or beer dispensers.
3. Foam drain lines of ice makers.
4. Foam floor drains.
5. Spray all cracks or crevasses around stainless steel equipment.
6. Spray all stainless or food surfaces.
7. Foam interior of trash cans and compactors to kill fruit fly larvae.

Also effective against:

- Fruit Flies
- Drain Flies
- Mites
- Ladybugs
- House Flies
- Fleas
- Ticks
- Wasps



CONCENTRATE

Gardner’s **FlyWeb Fruit Fly Spray** will significantly reduce small fly issues. Simply foam and spray countertops, back bar areas – anywhere fruit flies and larvae harbor. Available in 12.8 fl. oz. bottles or 5 gallon drum which can be mixed with water in any sprayer or foamer. Also available in a 22 fl. oz. ready to use spray bottle.



READY TO USE

PRODUCT	PART NUMBER
FlyWeb Fruit Fly Spray	FW-590T-RTU
FlyWeb Fruit Fly Concentrate	FW-590T
FlyWeb Fruit Fly Concentrate (5 gal.)	FW-590T-5

Concentrate mix ratio: 1:9 with water for maximum effectiveness.

Can be used in any sprayer, foamer with no additive needed. Just mix with water.



Handi-Foamer

50 oz. easy pump, handy foamer from Gardner

- Attachments sold separately



Adjustable
foaming
nozzle

The **HANDI-FOAMER** from Gardner is a simple solution to all your foaming and spraying needs. This foamer is lightweight and small making it easy to carry around and use in tight spaces. The 50 oz. Handi-Foamer includes an easy to use pump, pressure release valve and an adjustable foaming nozzle. Sold separately, is a drain cover attachment to help with effectively foaming into drains.

The Handi-Foamer is perfect for use with the FlyWeb Fruit Fly Spray Concentrate from Gardner. Following the concentrate label directions, use the measurement guide on the Handi-Foamer to mix the concentrate with water. Then use the foamer to spray the solution under bars, counters, cracks and crevasses or anywhere fruit flies may breed.



PRODUCT

HANDI-FOAMER

Color/Material: White

Volume: 50 oz.

(Includes measurements on side for easy mixing)

PART NUMBER


HF-50

ATTACHMENTS

DRAIN COVER

PART NUMBER

DC-50



PC Foamer Plus

The **PC FOAMER PLUS** from Gardner is an industrial solution to all your foaming and spraying needs. This foamer is lightweight with a hand pump grip making it easy to carry around. This 1.3 gallon foamer/sprayer includes an easy to use pump, pressure release valve, pressure gauge, spraying wand and an adjustable foaming nozzle. The PC Foamer PLUS is an inexpensive solution for use in large spraying/foaming operations.

The PC Foamer PLUS is perfect for use with the FlyWeb Fruit Fly Spray Concentrate from Gardner. Following the concentrate label directions, use the measurement guide on the PC Foamer PLUS to mix the concentrate with water. Then use the foamer to spray the solution under bars, counters, cracks and crevasses or anywhere fruit flies may breed.



PRODUCT

PC FOAMER PLUS - White
PC FOAMER PLUS - Brass

Color/Material: White, Brass
Volume: 1.3 Gallons
(Includes measurements on side for easy mixing)

PART NUMBER

PF-128
PF-128



FLYWEB FRUIT FLY TRAP

THE EASY-TO-USE SOLUTION TO CONTROL FRUIT FLIES USING NON-TOXIC, NATURAL ATTRACTANTS

Gardner's Fruit Fly Trap is an easy way to attract and capture annoying fruit flies under bars, sinks and countertops. Once in use, you'll benefit from:

- quiet, clean control of fruit flies all day and night.
- fruit flies sanitarily trapped in non-toxic, natural attractants, lasting 30-45 days.
- easy clean up and disposal. Rinse and clean the Fruit Fly Trap after 30-45 days of use or when full of fruit flies. Replacement attractant cups are available.

PRODUCT

FlyWeb Fruit Fly Trap (12-pack)

PART NUMBER

FW-15

Five simple steps.



1

Remove the sticker covering on the U-Channel.



2

Place the U-Channel underneath the counter near the problem area.



3

Punch two large holes on opposite sides of the Attractant Cup.



4

Pour contents of Attractant Cup into the Fruit Fly Trap and discard cup.*



5

Slide the Fruit Fly Trap inside the station holder.*

*Replacement attractant cups sold separately.

*For best fit place the lid fold of the monitoring station towards the bottom of the U of the station holder.

UNDER COUNTER TRAP

- 24-hour, non-chemical trapping
- Uses two 3"x11" specially designed glueboards
- Energy-efficient U.V. Insect Lamp (15 watts)
- Available in multiple colors: Green, Silver and Black
- Easy-to-use mounting bracket
- **3 year warranty**



The **UCT-15** is the newest innovation of **GARDNER Fly Lights**. This light is a perfect fit for mounting under bars and counters to help with fly control. Additionally, this highly portable light can be mounted horizontally or vertically on any wall or placed on top of any flat surface. The UCT-15 comes with an easy-to-use mounting bracket. Simply secure the bracket to any flat surface and slide the backside of the light onto the bracket. The UCT-15 is easy to service as well, with two 3" x 11" glueboards that slide in and out of the ends of the unit.

Available in multiple colors, including Green, Black and Silver, the UCT-15 will easily blend into your décor while discretely capturing flies with style.

Mounting locations include:




- Under bars
- Under counters
- In Entryways
- In Hallways
- Near Trash Compactors
- On Countertops

COLOR	PART NUMBER
Green	UCT-15GR
Black	UCT-15BL
Clear	UCT-15CL
BULBS	PART NUMBER
15 watt 12" Safety Coated F15T5368BL	EL-16S
GLUEBOARD	PART NUMBER
3"x11" White - 10/pk	EL-56





The **WS-95** is a stylish wall sconce light with an adhesive board and easy flip open lid for quick servicing. Flying insects are attracted to the ultraviolet light emitted in all directions and captured on a replaceable adhesive board inside the sconce. Position 5-6 feet above floor.




POWERFUL, DECORATIVE, EASY-TO-USE

WS-95

- 24-hour, non-chemical trapping
- Uses one 5"x17" glueboard
- Energy-efficient U.V. Insect Lamps (2 - 25 watt)
- Attraction Range: 1800 sq. ft.
- UL approved/listed
- FDA & USDA accepted under current code
- **3 year warranty**

Easy glueboard change-out




PRODUCT		PART NUMBER(S)
		SHATTERPOOF BULBS
WS-95 WHITE		WS-95WHS
WS-95 STAINLESS		WS-95SS
WS-95 BLACK		WS-95BLS
WS-95 GOLD VEIN	WS-95GV	WS-95GVS
Dimensions:	19"w x 11.5"h x 5.5"d	
Color/Material:	White, Black, Gold Vein, Stainless Steel	
UV Light Output:	50 watts	
BULBS		PART NUMBER
25 watt 18" F25T8350BL		EL-08
25 watt 18" Safety Coated F25T8350BL		EL-08S
GLUEBOARD		PART NUMBER
5"x17" White - 24/pk		EL-57

DECORATIVE, DISCRETE

WS-85

- 24-hour, non-chemical trapping
- Uses one 4"x17" glueboard
- Energy-efficient U.V. Insect Lamp (1 - 15 watt)
- Attraction Range: 900 sq. ft.
- UL approved/listed
- FDA & USDA accepted under current code
- **3 year warranty**



PRODUCT	PART NUMBER(S) SHATTERPOOF BULBS
WS-85 GOLD VEIN	WS-85S
WS-85 WHITE	WS-85WHS
Dimensions: 24"w x 10"h x 5"d	
Color/Material: Gold Vein, White - Steel	
UV Light Output: 15 watts	
BULBS	PART NUMBER
15 watt 18" F15T8350BL	EL-06
15 watt 18" Safety Coated F15T8350BL	EL-06S
GLUEBOARD	PART NUMBER
4"x17" White - 10/pk	EL-60
4"x17" Black - 10/pk	EL-60B

The **WS-85** is a stylish V-shape wall sconce light with an adhesive board, available in gold vein or white. Flying insects are attracted to the ultraviolet light and captured on a replaceable adhesive board inside the sconce. Position 5-6 feet above the floor.

STYLISH, POWERFUL


WS-225

- 24-hour, non-chemical trapping
- Uses one 9"x16" glueboard
- Energy-efficient U.V. Insect Lamps (2 - 25 watt)
- Attraction Range: 1800 sq. ft.
- UL approved/listed
- FDA & USDA accepted under current code
- **3 year warranty**




PRODUCT	PART NUMBER(S) SHATTERPOOF BULBS
WS-225	WS-225S
Dimensions: 20.25"w x 10"h x 6.75"d	
Color/Material: White - Painted Steel	
UV Light Output: 50 watts	
BULBS	PART NUMBER
25 watt 18" F25T8350BL	EL-08
25 watt 18" Safety Coated F25T8350BL	EL-08S
GLUEBOARD	PART NUMBER
9"x16" White - 10/pk	EL-61
9"x16" Black - 10/pk	EL-62

The **WS-225** is a stylish wall sconce light with an adhesive board. Flying insects are attracted to the ultraviolet light and captured on a replaceable adhesive board inside the sconce. Position 5-6 feet above the floor.



The **GT-215** is a decorative insect light trap. Flying insects are attracted to the ultraviolet light and captured on a replaceable adhesive board inside the trap. Glueboards are replaced using patented glueboard roller guide system. Position 5-6 feet above the floor for best results.



SLIM PROFILE, COMMERCIAL


GT-215

- 24-hour, non-chemical trapping
- Uses one 9"x16" glueboard
- Energy-efficient U.V. Insect Lamps (2 - 15 watt)
- Attraction Range: 1500 sq. ft.
- UL approved/listed, 115v/60hz, with 6' cord
- FDA & USDA accepted under current code
- **3 year limited warranty**



Warehouses, Bakeries, Hospitals, Pharmaceutical, Food Manufacturing, Hallways, Restaurants

PRODUCT	PART NUMBER(S) SHATTERPOOF BULBS
GT-215 - White	GT-215
GT-215 - Stainless	GT-215SS
Dimensions:	18.5"w x 12"h x 2.3"d
Color/Material:	White or Stainless Steel
UV Light Output:	30 watts
BULBS	PART NUMBER
15 watt 18" F15T8350BL	EL-06
15 watt 18" Safety Coated F15T8350BL	EL-06S
GLUEBOARD	PART NUMBER
9"x16.75" Black - Universal Glueboard - 12/pk	EL-66
9"x16.75" White - Universal Glueboard - 12/pk	EL-67



(Patent# 8,341,874)

SMALL, DURABLE, COMMERCIAL


GT-180

- 24-hour, non-chemical trapping
- Uses one 9"x16" and one 3"x19" glueboard
- Energy-efficient U.V. Insect Lamps (2 - 15 watt)
- Attraction Range: 1500 sq. ft.
- UL approved/listed
- FDA & USDA accepted under current code
- **3 year warranty**

PRODUCT	PART NUMBER(S) SHATTERPOOF BULBS
GT-180	GT-180S
Dimensions: 19.5"w x 11.5"h x 3.5"d	
Color/Material: White - Carbon Steel	
UV Light Output: 30 watts	
BULBS	PART NUMBER
15 watt 18" F15T8350BL	EL-06
15 watt 18" Safety Coated F15T8350BL	EL-06S
GLUEBOARD	PART NUMBER
9"x16" White - 10/pk (Backside)	EL-61
9"x16" Black - 10/pk (Backside)	EL-62
3"x19" Black - 10/pk (Bottom)	EL-63



The **GT-180** light trap is an attractive wall mount design flying insect trap for confined areas. The 3-inch depth of the trap allows for use on hallway or kitchen walls where crowding is a concern. Hinged, easy access door allows quick replacement of U.V. insect lights and the 9"x16" and 3"x19" adhesive panels.




(Patent# 8,341,874)

LARGE, DURABLE, COMMERCIAL


GT-200

- 24-hour, non-chemical trapping
- Uses one 9"x16" and one 4"x17" glueboard
- Energy-efficient U.V. Insect Lamp (2 - 25 watt)
- Attraction Range: 1800 sq. ft.
- UL approved/listed
- FDA & USDA accepted under current code
- **3 year warranty**


PRODUCT	PART NUMBER(S) SHATTERPOOF BULBS
GT-200	GT-200S
Dimensions: 18"w x 10"h x 6"d	
Color/Material: White - Carbon Steel	
UV Light Output: 50 watts	
BULBS	PART NUMBER
25 watt 18" F25T8350BL	EL-08
25 watt 18" Safety Coated F25T8350BL	EL-08S
GLUEBOARD	PART NUMBER
9"x16" White - 10/pk (Backside)	EL-61
9"x16" Black - 10/pk (Backside)	EL-62
4"x17" White - 10/pk (Bottom)	EL-60
4"x17" Black - 10/pk (Bottom)	EL-60B



The **GT-200** is Gardner's **top rated adhesive light trap** for flying insects made in the USA. The 50 watts of U.V. light attraction and 210+ sq. in. of trapping surface combine to create one of our **BEST** traps for any sensitive area.



(Patent# 8,341,874)



Waterproof lamp holders

Two waterproof glueboards


WATERPROOF, DUST PROOF

ANACONDA - ANA-40


- IP65 rated
- Dust proof and waterproof
- Uses two 5" x 22" waterproof glueboards
- Includes two shatterproof 20 watt U.V. Insect Lamps
- 24-hour, non-chemical trapping
- **3 year limited warranty**

The **ANACONDA** is Gardner's newest innovation in waterproof insect light traps. Featuring two 20-watt safety coated T8 U.V. Insect Lamps and two 5" x 22" waterproof glueboards, the Anaconda is perfect for food plants, pharmaceutical manufacturing and other commercial industries. With an IP65 rating, the Anaconda can withstand high dust environments and water sprayed directly at it.

The Anaconda can be mounted both horizontally and vertically making it an easy fit in many locations. Glueboard replacement is easy as well. With glueboard guides on either side, the glueboards slide easily in and out of the Anaconda, making for a faster service.



Glueboard roller guides



(Patent# 8,341,874)



Warehouses, Bakeries, Hospitals, Pharmaceutical, Food Manufacturing, Hallways, Restaurants

PRODUCT	PART NUMBER
ANACONDA	ANA-40
Dimensions:	7.5" w x 7.5" d x 25" h
Color/Material:	Aluminum (extruded)
UV Light Output:	40 watts
BULBS	PART NUMBER
20 watt 24" T8 Safety Coated	EL-07T8S
GLUEBOARD	PART NUMBER
5"x22" White - 10/pk	EL-55



Cover conceals insects while maintaining effectiveness




ULTRA SLIM PROFILE

- 24-hour, non-chemical trapping
- Uses one 11"x17" glueboard
- Energy-efficient U.V. Insect Lamps (2 - 15 watt)
- Color & Material: Stainless Steel
- Attraction Range: 1500 sq. ft.
- UL approved/listed, 115v/60hz, with 6' cord
- FDA & USDA accepted under current code
- Dimensions: 19"W x 11"H x 2.5"D
- **3 year limited warranty**

Standard Features

- Stainless steel
- FEP safety coated lamps

The **iFly** is a decorative insect light trap. Flying insects are attracted to the ultraviolet light and captured on a replaceable adhesive board inside the trap. Glueboards are replaced using patented glueboard roller guide system. Position 5-6 feet above the floor for best results.



(Patent# 8,341,874)




Warehouses, Bakeries, Hospitals, Food Manufacturing, Restaurants, Commercial Kitchens

PRODUCT	PART NUMBER
iFly - Stainless	FL-215
Dimensions:	19"w x 11"h x 2.5"d
Color/Material:	Stainless Steel
UV Light Output:	30 watts
BULBS	PART NUMBER
15 watt 18" F15T8350BL	EL-06
15 watt 18" Safety Coated F15T8350BL	EL-06S
GLUEBOARD	PART NUMBER
11"x17" Black Global Glueboard	EL-77
11"x17" White Global Glueboard	EL-78

LIGHTWEIGHT, COMMERCIAL

GT-220

- 24-hour, non-chemical trapping
- Uses one 5"x22" glueboard
- Energy-efficient U.V. Insect Lamps (2 - 20 watt)
- Attraction Range: 1800 sq. ft.
- UL approved/listed, 115v/60hz, with 6' cord
- FDA & USDA accepted under current code
- **3 year limited warranty**



5" x 22" glueboard
hidden from view

The **GT-220 - Aluminum** will not rust. Flying insects are attracted to the ultraviolet light and captured on a replaceable adhesive board inside the unit. Position 5-6 feet above the floor for best results.

PRODUCT	PART NUMBER(S) SHATTERPOOF BULBS
GT-220 ALUMINUM	GT-220S
Dimensions: 24.75"w x 9"h x 3.75"d	
Color/Material: Aluminum	
UV Light Output: 40 watts	
BULBS - GT-220 ALUMINUM	PART NUMBER
20 watt 24" F20T12350BL	EL-07
20 watt 24" Safety Coated F20T12350BL	EL-07S
GLUEBOARD	PART NUMBER
5"x22" White - 24/pk	EL-58
5"x22" Black - 24/pk	EL-59



STAINLESS, COMMERCIAL

GT-220 STAINLESS

- 24-hour, non-chemical trapping
- Uses two 5"x22" glueboards
- Energy-efficient U.V. Insect Lamps (2 - 18 watt)
- Attraction Range: 1800 sq. ft.
- UL approved/listed, 115v/60hz, with 6' cord
- FDA & USDA accepted under current code
- **3 year limited warranty**



Two 5" x 22"
glueboards

PRODUCT	PART NUMBER(S) SHATTERPOOF BULBS
GT-220 STAINLESS STEEL	GT-220SS
Dimensions: 24.75"w x 9"h x 3.75"d	
Color/Material: Stainless Steel	
UV Light Output: 36 watts	
BULBS - GT-220 STAINLESS	PART NUMBER
18 watt 24" Safety Coated F18T8350BL	EL-07T8S
GLUEBOARD	PART NUMBER
5"x22" White - 24/pk	EL-58
5"x22" Black - 24/pk	EL-59







360° ATTRACTION, PORTABLE
MX-360 - 100 WATTS

- 24-hour, non-chemical trapping
- Uses three 9"x16" glueboards
- Energy-efficient U.V. Insect Lamps (4 - 25 watt)
- Attraction Range: 360°, covering 5000 sq. ft.
- UL approved/listed, 115v/80hz
- FDA & USDA accepted under current code
- **3 year limited warranty**

 **Warehouses, Bakeries, Hospitals, Pharmaceutical, Food Manufacturing, Hallways, Restaurants**

The **MX-360** is the best portable adhesive light trap for flying insects made in the USA. The 100 watts of UV light attraction and 400+ square inches of insect trapping surface combine to create one of our **BEST** traps for any sensitive area. Glueboards are replaced using patented glueboard roller guide system, which is designed to keep glueboards from sticking to the lamps.



PRODUCT		PART NUMBER(S)
MX-360		SHATTERPOOF BULBS MX-360S
Dimensions:	20" w x 12" h x 9.5" d	
Color/Material:	White	
UV Light Output:	100 watts	
BULBS		PART NUMBER
25 watt 18" F25T8350BL		EL-08
25 watt 18" Safety Coated F25T8350BL		EL-08S
GLUEBOARD		PART NUMBER
9"x16" White - 10/pk		EL-61
9"x16" Black - 10/pk		EL-62

POWERFUL, EFFECTIVE, COMMERCIAL GT-480

- 24-hour, non-chemical trapping
- Uses three 9"x16" glueboards with 432 sq. in. of trapping space
- Energy-efficient U.V. Insect Lamp (2 - 36 watt)
- Attraction Range: 3500 sq. ft.
- UL approved/listed
- FDA & USDA accepted under current code
- **3 year limited warranty**




The **GT-480 Industrial Adhesive Insect Light Trap** is a horizontal wall mount design. It is for use in shipping/receiving areas and food production facilities where flying insect activity is high. The GT-480 utilizes 3 large adhesive insect trapping boards for maximum capacity between services. The GT-480 features 80 watts of U.V. insect attracting power and can be serviced from the easy open front door.



**Warehouses, Bakeries, Hospitals,
Pharmaceutical, Food Manufacturing, Docks**

PRODUCT	PART NUMBER(S) SHATTERPOOF BULBS
GT-480	GT-480
Dimensions: 48.75"w x 11.5"h x 3"d	
Color/Material: White	
UV Light Output: 80 watts	
BULBS	PART NUMBER
36 watt 48" Safety Coated F36T8350BL	EL-09ST8S
GLUEBOARD	PART NUMBER
9"x16" White - 10/pk	EL-61
9"x16" Black - 10/pk	EL-62



(Patent# 8,341,874)

WALL-MOUNTED ELECTRIC GRID LIGHT TRAPS


CORNER MOUNT OR FLAT WALL, COMPACT AG-963

- 24-hour, non-chemical trapping
- No glueboard replacement cost
- Energy-efficient U.V. Insect Lamps (2 - 25 watt)
- Attraction Range: 1800 sq. ft.
- UL approved/listed, 115V/60hz with 6' cord
- FDA & USDA accepted under current code
- **3 year warranty**

PRODUCT	PART NUMBER(S) SHATTERPOOF BULBS
AG-963	AG-963S
Dimensions: 15"w x 26"h x 5"d	
Color/Material: White - Steel	
UV Light Output: 50 watts	
BULBS	PART NUMBER
25 watt 18" F25T8350BL	EL-08
25 watt 18" Safety Coated F25T8350BL	EL-08S



The **AG-963 Insect Electrocutor** is designed for small areas where a compact light trap is the best choice. This corner/wall mount light trap is great for hallways and interior rooms where fly control is important. The AG-963 has a removable catch tray to contain dead insects for later evaluation, identification, and disposal. Install 3-6 feet high on the wall.




The **RG-1002** Insect Electrocuter is designed for wall or corner mount positions inside buildings with flying insect problems. The angled rear design of the RG-1002 allows the light trap to fit into tight corner locations. When vertically mounted 1-2 feet above the floor, the 48" U.V. Insect Light shines just above the floor area where flying insects are most active.



CORNER OR FLAT WALL MOUNT,
INDUSTRIAL

RG-1002 | RG-1002T

- 24-hour, non-chemical trapping
- No glueboard replacement cost
- Energy-efficient U.V. Insect Lamps (2 - 40 watt)
- Attraction Range: 2500 sq. ft.
- UL approved/listed, 115V/60hz with 6' cord
- FDA & USDA accepted under current code
- **3 year warranty**

 **Warehouses, Bakeries, Hospitals, Pharmaceutical, Food Manufacturing, Hallways, Restaurants**

PRODUCT	PART NUMBER(S) SHATTERPOOF BULBS
RG-1002 WHITE	RG-1002S
RG-1002 ALUMINIZED STEEL	RG-1002TS
Dimensions:	14"w x 57"h x 5.5"d
Color/Material:	White - Steel Aluminized Steel
UV Light Output:	80 watts
BULBS	PART NUMBER
40 watt 48" F40T12350BL	EL-09
40 watt 48" Safety Coated F40T12350BL	EL-09S



ALUMINUM, RECESSED WALL MOUNT

AG-970

- 24-hour, non-chemical trapping
- No glueboard replacement cost
- Energy-efficient U.V. Insect Lamps (2 - 40 watt)
- Attraction Range: 2500 sq. ft.
- UL approved/listed, 115V/60hz with 6' cord
- FDA & USDA accepted under current code
- **3 year warranty**



Warehouses, Bakeries, Hospitals, Pharmaceutical, Food Manufacturing, Hallways, Restaurants

PRODUCT	PART NUMBER(S) SHATTERPOOF BULBS
AG-970	AG-970S
Dimensions: 14"w x 57"h x 5.5"d	
Color/Material: Silver - Aluminum	
UV Light Output: 80 watts	
BULBS	PART NUMBER
40 watt 48" F40T12350BL	EL-09
40 watt 48" Safety Coated F40T12350BL	EL-09S

The **AG-970** Insect Electrocutor provides superior flying insect control for large indoor industrial and commercial buildings. The durable **aluminum** construction works well as a wall or recessed wall mount light trap. The vertical position of the AG-970, installed 1-2 feet above the floor, positions the 48" U.V. Insect Lights to attract flying insects where they are most active.



POWERFUL, INDUSTRIAL

AG-969

- 24-hour, non-chemical trapping
- No glueboard replacement cost
- Energy-efficient U.V. Insect Lamps (2 - 25 watt)
- Attraction Range: 3000 sq. ft.
- UL approved/listed, 115V/60hz with 6' cord
- FDA & USDA accepted under current code
- **3 year warranty**

PRODUCT	PART NUMBER(S) SHATTERPOOF BULBS
AG-969	AG-969S
Dimensions: 19"w x 30"h x 5.75"d	
Color/Material: Silver - Aluminum	
UV Light Output: 100 watts	
BULBS	PART NUMBER
25 watt 18" F25T8350BL	EL-08
25 watt 18" Safety Coated F25T8350BL	EL-08S



The **AG-969** is a **top rated** wall mount light trap with 100 watts of U.V. light attraction. Flying insects are electrocuted on an internal grid and dropped into a removable tray, allowing easy access for evaluation, identification, and disposal. Ideal for aggressive control in sensitive areas. **USDA studies show the 100 watts of U.V. light output provides optimum fly attraction.** Install light 3-6 feet high on the wall.



The **AG-961** Insect Electrocuter is a compact, powerful light trap for small areas where space is limited. The 50 watts of U.V. light attraction is the **highest available** in a trap of this size. It is open on both sides for 360° visibility, and kills insects on a protected electric grid. Dead insects are contained in a removable drawer. The light can be suspended from a ceiling, mounted 3-6 feet high on a wall, or used as a portable tabletop trap.

PORTABLE, INDUSTRIAL

AG-961


- 24-hour, non-chemical trapping
- No glueboard replacement cost
- Energy-efficient U.V. Insect Lamp (2 - 25 watt)
- Attraction Range: 2500 sq. ft.
- UL approved/listed, 115v/60hz, with 6' cord
- FDA & USDA accepted under current code
- **3 year warranty**



Warehouses, Bakeries, Hospitals, Pharmaceutical, Food Manufacturing, Hallways, Docks, Bottling/Packaging Plants

PRODUCT		PART NUMBER(S)
		SHATTERPOOF BULBS
AG-961		AG-961S
Dimensions:	26"w x 14"h x 5.5"d	
Color/Material:	Silver - Aluminum	
UV Light Output:	50 watts	
BULBS		PART NUMBER
25 watt 18" F18T8350BL		EL-08
25 watt 18" Safety Coated F18T8350BL		EL-08S

SUSPENDED ELECTRIC GRID LIGHT TRAPS



The **AG-241** Insect Electrocuter is useful as both a wall mount design and a ceiling suspended light trap. Shipping dock walls, warehouse ceilings, and hallway corridor ceilings are some of the locations where the AG-241 traps flying insects. The removable drawer allows easy access to evaluate, identify, and dispose of trapped insects.

INDUSTRIAL, SUSPENSION

AG-241

- 24-hour, non-chemical trapping
- No glueboard replacement cost and easy to clean grid
- Energy-efficient U.V. Insect Lamps (2 - 40 watt)
- Attraction Range: 3500 sq. ft.
- UL approved/listed, 115v/60hz, with 6' cord
- FDA & USDA accepted under current code
- **3 year warranty**



Warehouses, Bakeries, Pharmaceutical, Food Manufacturing, Hallways, Docks, Bottling/Packaging Plants

PRODUCT		PART NUMBER(S)
		SHATTERPOOF BULBS
AG-241		AG-241S
Dimensions:	55"w x 16.5"h x 5"d	
Color/Material:	Silver - Aluminum	
UV Light Output:	80 watts	
BULBS		PART NUMBER
40 watt 48" F40T12350BL		EL-09
40 watt 48" Safety Coated F40T12350BL		EL-09S


OUTDOOR, INDUSTRIAL

AG-661

- 24-hour, non-chemical trapping
- No glueboard replacement cost and easy to clean grid
- Energy-efficient U.V. Insect Lamps (2 - 40 watt)
- Attraction Range: 8000 sq. ft.
- **1 year warranty**

 **Marinas, Warehouses, Parking Lots, Stadiums, Outdoor Areas**

PRODUCT		PART NUMBER(S)
AG-661		AG-661S
Dimensions:	56"w x 20.5"h x 6.75"d	
Color/Material:	Silver - Aluminum	
UV Light Output:	80 watts	
BULBS		PART NUMBER
40 watt 48" F40T12350BL		EL-09
40 watt 48" Safety Coated F40T12350BL		EL-09S



The **AG-661** Insect Electrocutor is the **premier outdoor flying insect light trap**. This unit has heavy duty construction and large attraction range for aggressive flying insect control. It can be suspended by wall or post brackets away from buildings to suppress insect populations around boat docks, parking lots, or stadiums before they enter the area or building.



TRAPPLE FRUIT FLY TRAP

THE EASY-TO-USE SOLUTION TO ATTRACT FLIES AWAY FROM FRUIT USING NON-TOXIC, NATURAL ATTRACTANTS

The trapple fruit fly trap is an attractive, decorative way to eliminate the annoyance of fruit flies. Attractant cup and gluecard are non-toxic, natural attractants that last 30-45 days. Replacement cups and gluecards are available. With trapple, only four easy steps are needed to capture and contain fruit flies in your home.

PRODUCT

Trapple Fruit Fly Trap (6-pack)

PART NUMBER

TR-02-6BX

 **trapple™**
Fruit Fly Trap



1 Open trapple.



2 Puncture attractant cup.



3 Peel liner from gluecard and replace contents in apple.



4 Close trapple.

MINI TRAPPLE FRUIT FLY TRAP

THE EASY-TO-USE SOLUTION TO ATTRACT FLIES AWAY FROM FRUIT USING NON-TOXIC, NATURAL ATTRACTANTS

Gardner's mini-trapple fruit fly trap is an attractive, decorative and easy way to attract and capture annoying fruit flies. Once in use, you'll benefit from:

- quiet, clean control of fruit flies in your kitchen or pantry 24/7.
- fruit flies sanitarily trapped in non-toxic, natural attractants, lasting 30-45 days.
- easy clean up and disposal. Rinse and clean Mini-Trapple after 30-45 days of use or when full of fruit flies. Replacement attractant cups are available.

PRODUCT

Mini Trapple Fruit Fly Trap (12-pack)

PART NUMBER

TR-02-12M

 **mini trapple™**
Fruit Fly Trap



1 Close cover to puncture a hole in the center of the attractant cup.




2 Punch another hole on the edge of the foil lid of the attractant cup.



3 Pour contents into the Mini-Trapple



4 Close Mini-Trapple cover and discard cup.



5 Place near problem area.

Five simple steps.



FLYWEB UNIVERSAL INSECT MONITOR CARDS

Gardner's Insect Monitor Cards are designed to capture all types of insects that harbor in and around plants. Catch rates of the different species of insects is maximized by using two insect attracting colors on each trap; Brilliant Blue and Yellow. Fungus gnats, white flies, aphids, thrips, and leafminers are just a few of the species attracted to our traps.

Traps are perforated to increase the use options:

- Use as a 4" x 8" trap.
- Fold into triangle-shaped delta.
- Tear apart at perforations for use in smaller areas or close to base of plants.

How to use:

- Fold or tear trap into the desired format
- Peel protective cover from one or both sides of the trap
- Place or hang trap close to plants.
- When used in large areas, place traps 10-15 feet apart.
- Monitor traps on a regular bases - replace as needed.

FOR INDOOR and OUTDOOR USE
Made in the USA EPA Est. 59072-NJ-01



PRODUCT	PART NUMBER
FlyWeb Insect Monitor Cards	FW-74
Dimensions:	4"w x 8"hd
Color:	Two-sided, Yellow and Brilliant Blue

DRAIN/FRUIT FLY TRAP

- 24-hour, non-chemical trapping
- Adhesive pre-applied to interior captures and traps insects


Gardner's Drain/Fruit Fly traps are an easy-to-use method of trapping pesky drain/fruit flies in industrial and commercial areas. Traps are made from lightweight food grade plastic, and are disposable. **Simply add your own attractant** (banana or vinegar) to lure insects into entry holes in the bottom of trap. Hang or place flat in the areas of need.



PRODUCT	PART NUMBER
Drain/Fruit Fly Trap (Case of 50)	DF-2000
Dimensions:	4.75" diameter, 2.25"h
Color/Material:	White - Light, Food Grade Plastic



REPLACEMENT INSECT LAMPS



Part #	Description		
EL-05	18"	32 watt	UV insect lamp
EL-05S	18"	32 watt	UV insect lamp FEP sleeved
EL-06	18"	15 watt	UV insect lamp
EL-06S	18"	15 watt	UV insect lamp FEP sleeved
EL-06Q	18"	15 watt	UV insect lamp Lead free
EL-06QS	18"	15 watt	UV insect lamp FEP sleeved
EL-07	24"	20 watt	UV insect lamp
EL-07T8	24"	20 watt	T8 UV insect lamp
EL-07S	24"	20 watt	UV insect lamp FEP sleeved
EL-07T8S	24"	20 watt	T8 UV insect lamp FEP Sleeved
EL-08	18"	25 watt	UV insect lamp
EL-08S	18"	25 watt	UV insect lamp FEP sleeved
EL-09	48"	40 watt	UV insect lamp
EL-09S	48"	40 watt	UV insect lamp FEP sleeved
EL-09T8S	48"	40 watt	UV insect lamp FEP sleeved
EL-12	16"	36 watt	UV insect lamp
EL-12S	16"	36 watt	UV insect lamp FEP sleeved
EL-22	9"	9 watt	UV insect lamp for FlyWeb CLASSIC
EL-22B	9"	10 watt	UV insect lamp for FlyWeb PLUS

REPLACEMENT COMPONENT PARTS

Part #	Description
EL-03	4000V 9ma Transformer – All Gardner electric grid models
EL-17	Ballast for AG-241, AG-661, AG-970, GT-480, RG-1002
EL-18	OLD Ballast for AG-961, AG-963, AG-969, GT-200, GT-220, MX-360, WS-95
EL-18E	NEW Ballast for AG-961, AG-963, AG-969, GT-200, GT-220, MX-360, WS-95
EL-20A/350	Ballast for GT-180, GT-215 & WS-85
EL-27F	Lampholder for AG-961, AG-963, AG-969, GT-200 & MX-360
EL-27E	Lampholder with starter socket for AG-961, AG-963, AG-969, GT-200 & MX-360 – Old Style
EL-28	Starter for old style GT-180 & WS-85
EL-30	Starter for old style AG-961, AG-963, AG-969, GT-200 & MX-360
EL-36	Microswitch – All Gardner electric grid models
EL-42	Ceramic grid insulator – All Gardner electric grid models


EL-57




EL-58



EL-77



EL-12907



EL-611

Part #	Description		UOM
EL-12907	9" X 16.75"	Universal 907 Type Glueboard	12 each/pack
EL-100907	Box of 9" X 16.75"	Universal 907 Type Glueboard	100 each/box
EL-12909	9" X 16.75"	Universal 909 Type Glueboard	12 each/pack
EL-100909	Box of 9" X 16.75"	Universal 909 Type Glueboard	100 each/box
EL-57	5" X 17"	White Adhesive Board	24 each/pack
EL-58	5" X 22"	White Adhesive Board	24 each/pack
EL-59	5" X 22"	Black Adhesive Board	24 each/pack
EL-60	4" X 17"	White Adhesive Board	10 each/pack
EL-60B	4" X 17"	Black Adhesive Board	10 each/pack
EL-61	9" x 16"	White Adhesive Board	10 each/pack
EL-611	11.25" Diameter	Circle Glueboard	10 each/pack
EL-62	9" x 16"	Black Adhesive Board	10 each/pack
EL-63	3" X 19"	Black Adhesive Board	10 each/pack
CS-64	3" x 5"	White Adhesive Board for FlyWeb CLASSIC & PLUS	10 packs of 10/box
CS-64+	3" x 5"	White Adhesive Board for FlyWeb PLUS	10 packs of 10/box
CS-65	3" x 5"	Black Adhesive Board for FlyWeb CLASSIC & PLUS	10 packs of 10/ box
EL-66	9" x 16.75"	Black Adhesive Board – Universal Glueboard	12 each/pack
EL-67	9" x 16.75"	White Adhesive Board – Universal Glueboard	12 each/pack
EL-77	17" x 11.5"	Black Adhesive Board – Global Glueboard	12 each/pack