

Remco

a Vikan company

Full-Line Catalog



Vikan

Table of Contents

Remco and Vikan3

HyGo..... 4-5

New Products 6-7

Color-Coding System 8-9

BDM Services and Territory Map..... 10-11

Ultra Safe Technology 12-13

Material Handling Tools..... 14

 Product Selection Guide..... 15

 Shovels 16

 Fork, Rake, and Paddles 17

 Dustpans and Bowl Scoops..... 18

 Hand Scoops..... 19

 Scrapers20-21

 Wall Brackets 22

 Buckets..... 23

 Metal Detectable Tools24-25

 Tubs and Undercarriages.....26-27

Cleaning Tools28

 Product Selection Guide..... 29

 Sweeping Brooms.....30-31

 Deck Scrubs and Tank Brushes.....32-33

 Hand Brushes34-37

 Tube and Valve Brushes38-41

 Special Application Brushes 42

 Detail Brushes 43

 Squeegees44-47

 Handles.....48-49

 Extension Handles and Accessories 50

 Pad Holder System 51

 Waterfed Products52-53

More Products Ranges & Collections.....54

 High Temperature Cleaning Range55

 Floor and Drain Collection56-57

 Reusable Food-Safe Garments58-59

Industrial Tools..... 60

 Product Selection Guide..... 61

 Industrial and Safety Shovels.....62-63

Transport Cleaning Tools 64

 Transport Sets..... 65

 Transport Brooms and Brushes..... 66

 Transport Handles 67

 Transport Brushes..... 68

 Transport Squeegees 69

ColorCore Range..... 70

Non-Stock and Special Order Items 71

Education & Technical Support 72

Index 73-74



The products that put food safety in your hands.

Remco
a Vikan company



Solid hygiene & performance

Seamless injection molded tools from Remco deliver the ultimate in hygienic material handling. One-piece construction eliminates areas for bacteria to hide in and multiply, resulting in a durable tool that performs beautifully in even the most rigorous applications.

The best of both hygiene & efficiency

Hygiene-essential environments demand efficient and easy-to-use tools that maintain or advance hygienic standards. Vikan's products are designed to improve the quality and reduce the cost of cleaning while encouraging hygienic behavior.

Global Scope. Local Support.

Remco, Vikan's dedicated presence in North America, draws upon a combined wealth of knowledge and world-class manufacturing capabilities to provide even greater value to our customers – innovating new cleaning tools, increasing our industry-leading product availability, and delivering unmatched levels of customer service.

Visit us on social media: remcoproducts.com/socialmedia.

New Product



Learn more about
HyGo

Introducing the Vikan

HyGo

Mobile Cleaning Station

5700x

Available in 6 colors

2 3 4 5 6 9

Wherever You Go, HyGo

HyGo from Vikan is the food and beverage industry's first mobile cleaning station to combine hygiene, efficiency, and maneuverability into one purpose-built solution. HyGo was built on industry feedback and Vikan's own experience with hygienic design, making it the ideal compact cart to organize and transport sanitation tools in production and retail environments.

HyGo takes hygienic design to the next level with smooth finishes, food-contact compliant materials, and six colors to support color-coding programs. Beyond elevating sanitation efforts, HyGo also conquers space challenges, lost equipment, and wasted time.

With a fleet of customizable HyGos on the production floor, tools stay organized and get to where they're needed quickly.

Design Features



Cleaning and Storage Efficiency

- Reduces time spent locating tools, moving them to the cleaning area, and returning them to their storage location.
- Stores cleaning tools after use, minimizes the risk of tool damage, and keeps tools organized for future use.
- Allows employees to move more cleaning resources at once, including heavy chemical containers and unwieldy brooms.

Purpose-Built

- Developed from industry feedback and input.
- Made from the same high-quality materials as other tools in our hygiene range.

Compact Maneuverability

- Designed to fit in small spaces and easily pass through doorways.
- The cleaning station's low center of gravity helps prevent tipping, while the wheel placement and their 360° rotation ensure excellent maneuverability even over drains, door thresholds, and rough floors.

Designed with Cleanability in Mind

- The drainable trays and frame help reduce pooling liquids, helping HyGo dry quickly after cleaning.
- Hygienic design features like smooth surface finishes with rounded corners and edges reduce harborage points, making HyGo easier to clean.

Color-Coded

- Available in 6 colors to support your color-coding system, helping minimize the risk of cross-contamination.
- The side bars, handle, and tool brackets are colored to quickly identify whether tools are being used and stored in the correct area.

Reasons to Try HyGo

01

**Compact
Maneuverability**

02

**Customizable
Storage**

03

**Durable
Construction**

04

**End-User
Driven Design**

05

**Improved
Efficiency**



New Product



Download the
Heavy-Duty Push
Brooms Brochure

Heavy-Duty Push Brooms

The Heavy-Duty Push Broom has key features that make it ideal for cleaning large areas. The heavier broom head and angled bristles help prevent skipping during long pushes across production flooring. With more densely packed stiff and soft bristles, the Heavy-Duty Push Broom will become an indispensable part of your sanitation regimen.

3175x
16" Width Broom
Available in 6 colors



3195x
24" Width Broom
Available in 10 colors



Features:

- Heavier head
- Angle cut bristles
- Flared bristle arrangement
- More densely packed stiff and soft bristles
- Hygienic design





New Product



Download the
One-Piece Pipe
Brush Flyer

One-Piece Pipe Brush

Our newest pipe brush helps you clean up tough messes with its densely packed stiff bristles that hold more cleaning solution. The brush is designed to fit easily into the palm, and its smaller diameter allows it to reach into a larger variety of openings, getting more use from a single brush.

538280x

3.1" Diameter Pipe Brush

Available in 8 colors



Features:

- More bristles
- Ergonomic design
- One-piece construction
- High-quality materials
- Hygienic design
- Easy to clean
- Available in 8 colors



Color-Coding

Minimizing risks and improving food safety



Minimizing the risk of cross-contamination is key to maintaining a safe processing facility and is imperative for meeting today's food safety guidelines. Changes with FSMA and global standards like SQF and BRCGS all require better methods of zoning, which can be easily and efficiently done with color-coding. Color-coding is a proven practice that effectively communicates hazards and helps food processors achieve high-quality food safety standards.

As a trusted supplier to leading food processors, Remco can work with you to develop a color-coding system that is customized to your unique needs and products. Through the program development process, Remco will help you identify different processing zones or tasks. We will also help your workers understand and implement your color-coding plan. Color-coding is a helpful tool in maintaining HACCP compliance, as well as for preventing food safety and quality lapses before they happen. Remco and Vikan color-coded tools come in up to 12 colors to support your color-coded zoning plans.

Get the color-coding kit at remcoproducts.com/toolkit.

Tips to Help Build an Effective Color-Coding Plan

According to the Centers for Disease Control, 48 million people (around 1 in 6) in the US get sick every year from eating contaminated food.

Help prevent the spread of the over 250 pathogens and toxins that are known to cause foodborne illness by reducing cross-contamination risks with a color-coding plan. Consider these tips for an easy and effective color-coding plan roll-out.



1. Keep it Simple

Avoid complicated color assignments and keep your system simple. Color-code only the most important areas or items used to control cross-contamination.

2. Pick Logical Colors

Ensure that the colors you select are easily recognized and understood by everyone involved. They should also be able to be spotted against product in case a tool is dropped.

3. Make it Clear

Reinforce your color assignments with consistent and appropriate signage. Provide clearly marked storage areas throughout your facility and grounds.

4. Communicate the Program

Have a communication strategy for rolling out the program to your employees. Revisit it regularly to ensure it's working.

Remco welcomes the opportunity to work with your food safety and quality teams to ensure your color-coding system is a complete success.

Business Development Managers- Complimentary Services

Remco's team of BDMs are color coding and tool selection experts. Our team members are here to answer questions and provide recommendations regarding cleaning tool implementation in food processing and other hygiene-sensitive fields.

Remco's BDMs offer a high level of competence in industry best practices, and are:


- SQF Practitioner Qualified
- FDA/FSPCA PCQI Certified
- HACCP Certified

Online Color-Coding Tool Reviews

BDMs can answer questions and provide recommendations regarding cleaning tool implementation and best practices in food processing and other hygiene-sensitive fields.

Virtual Training Sessions

Our experts can provide training on how to select the right cleaning tools, how to properly maintain and care for tools, and the best practices for tool storage.



Site Surveys

A Remco expert will conduct a thorough survey of your plant's cleaning and material handling tools with the aim of identifying and solving potential hygiene and sanitation issues before they become larger problems.

Virtual Site Survey

At no charge, we will ship you an easy-to-use Microsoft HoloLens headset that works with the Wi-Fi connection in your plant. Once you activate the headset, we can collaborate globally, and begin our virtual survey.



What We Check For During a Site Survey

- Color-coding system - Is your color-coding plan for tools effective enough to support your risk management targets?
- Regulatory compliance - Do your tools meet all applicable standards and regulatory requirements?
- Gaps and optimizations - Identify missing tools and improve maintenance and usage practices.
- Better tools for the job - Is there a different tool that would be more efficient or effective?
- Cleaning tool storage - Protect your tools and improve hygiene through proper tool storage.


Site Survey Deliverables

- ✓ Samples
- ✓ Implementation
- ✓ Ongoing support

Schedule Your Site Survey, Training, or Online Tool Review Today

Contact the BDM in your area to learn how we can help reduce downtime associated with cleaning and provide potential cost savings through tool standardization.

Regional Business Development Manager Territory Map



West Region

Vince Tajalle
Mobile: 562.242.9346
vtajalle@remcoproducts.com



Central Region

Dave Gambrall
Mobile: 317.850.2082
dgambrall@remcoproducts.com



East Region

Doug David
Mobile: 740.507.2498
ddavid@remcoproducts.com



South Region

Matt Morrow
Mobile: 901.457.9543
mmorrow@remcoproducts.com



Canada Region

TJ Singh
Mobile: 416.786.6638
tsingh@remcoproducts.com

Additional Contacts



Executive Vice President
Rob Middendorf
317.876.9856 | 219.613.0285
rmiddendorf@remcoproducts.com



Business Development Director
Eric Perez
Mobile: 916.622.7706
eperez@remcoproducts.com



National Food Retail Specialist
Melissa Yost
Mobile: 954.445.4501
myost@remcoproducts.com



Customer Service
317.876.9856
cs@remcoproducts.com



Make Hygiene a Priority in Your Facility

with Ultra Safe Technology



Vikan's award-winning Ultra Safe Technology is a revolutionary line of brooms and brushes that help improve food safety and quality, minimize food waste, and increase cleaning efficiency.

47%

of cleaning equipment tests positive for listeria*

* Study conducted by Campden BRI



3x

Bristle fixation is 3 times more consistent in UST brushes than in drilled & stapled ones.

52%

It takes 52% more force to loosen a UST bristle than the bristles on a traditional brush.

UST Tools Meet Hygienic Design Principles

Hygienic design principles are built into UST tools because even cleaning equipment can be a vector of contamination.

- ✓ Easy to clean and dry
- ✓ Smooth surface finish (under 0.8µm)
- ✓ Made of food-safe materials
- ✓ Durable and well-constructed
- ✓ Absence of acute internal angles
- ✓ Fully tested and documented

Optimized Bristle Patterns

Each UST brush and broom features a purpose-designed, efficiency-boosting bristle pattern.



Hand Brush

Angled and circular arrangement for scrubbing and washing in a circular motion.



Broom/Deck scrub

Angled arrangement of the Bristle Security Units enables more efficient cleaning.




Bench Brush


Bristle Security Units are arranged to enable the efficient and effective removal of fine powders and loose debris.

Superior Cleanability


Vikan dramatically reduced the depth of the UST brush-head recess, making brushes easier to clean by eliminating drilled holes, metal staples, and resins.



Staple-Set



Resin-Set












UST



Ultra Safe Technology Range



	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Bristle Type	Weight	Max Temp	Brand	Additional Details
	3171x	16" UST Soft Push Broom	15.75"	1.97"	3.74"	Polypropylene/Polyester
	1 2 3 4 5 6 7 8	Soft	0.78 lbs.	250°F	Vikan	FDA 02 15 16
	3173x	16" UST Medium Push Broom	15.25"	1.875"	4.7"	Polypropylene/Polyester
	1 2 3 4 5 6 7 8	Medium	0.9 lbs.	250°F	Vikan	FDA 02 15 16
	3891x	UST Hand Brush	6.9"	2.6"	2.2"	Polypropylene/Polyester
	1 2 3 4 5 6 7 8	Stiff	0.51 lbs.	250°F	Vikan	FDA 02 15 16
	4179x	UST Short Handle Scrubbing Brush	10.24"	2.76"	3.94"	Polypropylene/Polyester
	1 2 3 4 5 6 7 8	Stiff	0.35 lbs.	250°F	Vikan	FDA 02 15 16
	4196x	UST Long Handle Scrubbing Brush	15.55"	2.76"	5.51"	Polypropylene/Polyester
	1 2 3 4 5 6 7 8	Stiff	0.44 lbs.	250°F	Vikan	FDA 02 15 16
	4581x	UST Soft Bench Brush	13"	1.38"	5.31"	Polypropylene/Polyester
	1 2 3 4 5 6 7 8	Soft	0.4 lbs.	250°F	Vikan	FDA 02 15 16
	4585x	UST Medium Bench Brush	13"	1.38"	5.31"	Polypropylene/Polyester
	1 2 3 4 5 6 7 8	Medium	0.4 lbs.	250°F	Vikan	FDA 02 15 16
	7064x	16" UST Deck Scrub	15.75"	1.97"	2.95"	Polypropylene/Polyester
	1 2 3 4 5 6 7 8	Stiff	0.77 lbs.	250°F	Vikan	FDA 02 15 16
	555130x	UST Detail Brush	8.07"	1.18"	0.39"	Polypropylene/Polyester
	1 2 3 4 5 6 7 8	Soft	0.07 lbs.	250°F	Vikan	FDA 02 15 16



MATERIAL HANDLING TOOLS

In food processing environments, material handling tools must be purpose built for the task. Due to their nature, these tools come into direct contact with food products. The material handling tools in your facility should improve your food safety efforts—not create a potential risk of contamination.

Material handling tools from Remco and Vikan are carefully designed and produced from materials that comply with regulatory standards. Any tool that contacts food should be backed by the appropriate documentation to support a written food safety plan, which we can provide to all our customers.

But why stop at satisfying the requirements? Our superior lines are ergonomically built, eliminating excessive stress and strain on the user. This improves the productivity of your workforce and ultimately your overall operation.

Material Handling Product Selection Guide

Remco and Vikan offer a range of scraping, measuring, and transporting tools to meet the varying demands of food processors.

Choose the material handling option that best fits the application:



Shovels Composed solely of FDA-compliant polypropylene, our shovels are hygienic and durable. They are also total color, fully molded, and non-sparking, making them a top choice in the food industry.



Scoops Remco scoops are durable and hygienically designed with smooth edges for easy cleaning.



Dustpans From our award-winning lobby dustpan and broom set to Vikan's hygienic dustpan, we can help you keep floors clean of debris.



Buckets Vikan buckets make transporting and storing bulk ingredients a snap. Good for handling up to 5 gallons of materials or liquids.



Tubs Remco tubs and undercarriages come in a variety of sizes and shapes to fit your needs. From adding lids to customizable plugs, we have the tubs that will help you move and store products. This is our best option for moving up to 100 gallons.

Choose the blade material that best fits your specific needs:

Stainless Steel Blade



These blades are good for removing stubborn or burnt-on food from smooth surfaces. Some of our stainless steel scrapers can be mounted on handles to provide greater reach.

Polypropylene Blade



Plastic blades provide a durable scraping option that won't damage surfaces. Hand scrapers, bench scrapers, and paddle scrapers are available in standard polypropylene and metal detectable polypropylene.

Nylon Blade



Rigid and durable, nylon scrapers provide a good option where scrapers are required in high-temperature situations. Some of our high-temp scrapers can be used with handles to extend their reach.

Choose the measurement tool that best fits your specific needs:

Bowl Scoops



Vikan bowl scoops include measurement marks in liters, fluid ounces (US), and fluid ounces (UK). These scoops are often used in the dairy and baking industries. They are ideal for keeping allergens separated. They pair perfectly with Vikan buckets, allowing for precise measuring and mixing.

Mega Scoops/Dippers



These scoops include measurement markings in liters on one side and quarts on the other. Commonly used in conjunction with Remco tubs, these scoops can move large, yet precise amounts of material efficiently.

Buckets



With measurement marks in liters, gallons (US), and gallons (UK), these Vikan buckets are well suited for measuring, transporting, or storing bulk ingredients. These buckets are often used in the dairy and baking industries.

Shovels



These tools are a cost-effective alternative to stainless steel shovels and are ergonomically designed to reduce stress on the user's back. Durable and lightweight, plastic tools won't damage equipment like metal tools can.

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors		Weight	Max Temp	Brand	Additional Details
	6981x	One-Piece Shovel w/ 10" Blade	37.5"	10.2"	5.9"	Polypropylene
			2.6 lbs.	266°F		  
	6982x	One-Piece Shovel w/ 14" Blade	42.5"	13.75"	6.6"	Polypropylene
			3.56 lbs.	266°F		  
	5601x	Ergonomic Shovel- Large Blade	51.57"	13.58"	8.86"	Polypropylene/Aluminum
			4.1 lbs.	250°F		  
	56035	Ergonomic Shovel- Large Sieve	44.9"	13.7"	8.3"	Polypropylene/Aluminum
	White		3.44 lbs.	250°F		  
	5611x	Ergonomic Shovel- Small Blade	50.39"	10.67"	7.87"	Polypropylene/Aluminum
			3.44 lbs.	250°F		  



Fork and Rake



56905



56915

Our hygienically designed fork and rake are ideally suited for moving bulk food material.

Paddles





































67754

67772

67763

67746

These paddles can reach into deep vats to help combine ingredients.

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors		Weight	Max Temp	Brand	Additional Details
	56905	Hygienic Fork	50.2"	10.43"	4.72"	Polypropylene
	White		3.18 lbs.	250°F		  
	56915	Hygienic Rake	8.07"	8.27"	9.06"	Polypropylene
	White		0.93 lbs.	250°F		  
	6774x	40" Mixing Paddle w/ Holes	39.75"	6"	1.3"	Polypropylene
			2.11 lbs.	266°F		  
	6775x	40" Mixing Paddle	39.75"	6"	1.4"	Polypropylene
			2.19 lbs.	266°F		  
	6776x	52" Mixing Paddle w/ Holes	51.8"	5.9"	1.4"	Polypropylene
			2.64 lbs.	266°F		  
	6777x	52" Mixing Paddle	51.8"	5.9"	1.4"	Polypropylene
			2.66 lbs.	266°F		  

Dustpans




Durable, total-color dustpans are a staple in many color-coded sanitation programs.

Bowl Scoops









	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Deflection Temp	Weight	Max Temp	Brand	Additional Details
	5660x	Dustpan	13"	11.61"	3.94"	Polypropylene
	1 2 3 4 5 6 7 8 9 0 00 01 02	-	0.66 lbs.	250°F		
	5662x	Upright Dustpan	13"	7.87"	3.46"	Polypropylene/Aluminum
	2 3 4 5 6 9	-	1.03 lbs.	250°F		
	6250x	Lobby Dustpan w/ Broom	47.5"	14.56"	7.13"	PP/Aluminum/Polyester
	1 2 3 4 5 6 7 8 9 0 00	183°F	3.43 lbs.	266°F		
	6350	Utility Dustpan	12.2"	12.1"	4.1"	Polypropylene
	Black	183°F	0.47 lbs.	266°F		
	5681x	32 oz. Round Scoop	11.61"	6.1"	3.74"	Polypropylene
	2 3 4 5 6 7 8	-	0.37 lbs.	250°F		
	5682x	64 oz. Round Scoop	13"	7.68"	4.53"	Polypropylene
	2 3 4 5 6	-	0.57 lbs.	250°F		



Hand Scoops



Color-coded scoops are useful in preventing cross-contact between allergens and supporting HACCP plans and regulatory food safety efforts.

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Deflection Temp	Weight	Max Temp	Brand	Additional Details
	6000x	2-Liter Measuring Jug	5.51"	8.86"	8.46"	Polypropylene
	2 3 4 5 6	-	0.53 lbs.	250°F	Vikan	FDA 02 8
	6300x	16 oz. Hand Scoop	10.4"	3.2"	2"	Polypropylene
	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	183°F	0.21 lbs.	266°F	Remco	FDA 02 8
	6400x	32 oz. Hand Scoop	11.5"	4.3"	3"	Polypropylene
	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	183°F	0.39 lbs.	266°F	Remco	FDA 02 8
	6500x	82 oz. Hand Scoop	15.1"	5.9"	3.3"	Polypropylene
	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	183°F	0.65 lbs.	266°F	Remco	FDA 02 8
	6550x	128 oz. Mega Scoop	11"	8.7"	6.7"	Polypropylene
	2 3 4 5 6 7	183°F	1.35 lbs.	266°F	Remco	FDA 02 8
	6552x*	128 oz. Mega Dipper	11"	8.7"	7.3"	Polypropylene/Stainless Steel
	2 3 4 5 6 7	183°F	1.48 lbs.	266°F	Remco	02 8

Recommended handles for use with the Remco Mega Dipper:

» 2935x - 51" Color-Coded Aluminum Handle

» 2959x - 59" Color-Coded Full Aluminum Handle


» 2960x - 51" Ultra Hygiene Handle

For more handle options, see pages 48-50.

Scrapers



Scraping tools from Remco offer solutions for a variety of bench top, food prep, and floor applications. These tools are ideal for when you need a hygienic option for effectively moving materials, and they are rigid enough to perform without warping or breaking.




















Recommended handles for use with Remco and Vikan scrapers:

» 2937x - 59" Aluminum Handle

» 2939x - 59" Stainless Steel Handle

» 2962x - 59" Ultra Hygiene Handle

For more handle options, see pages 48-50.

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Deflection Temp	Weight	Max Temp	Brand	Additional Details
	2900x	Food Hoe	11.25"	2"	8"	Nylon
	2 3 4 5 6	410°F	1.13 lbs.	419°F	Remco	FDA 02 03
	2910x	Stainless Steel Floor Scraper	10.24"	6.89"	1.18"	Polypropylene/Stainless Steel
	2 3 4 5 6 9	-	0.57 lbs.	250°F	Vikan	FDA 02 03
	2911x	Nylon Floor Scraper	10.25"	1"	6.9"	Nylon
	2 3 4 5 6 9	410°F	0.65 lbs.	419°F	Remco	FDA 02 03
	4010x	2" Stainless Steel Handle-Mounted Scraper	8.07"	1.97"	1.26"	Polypropylene/Stainless Steel
	2 3 4 5 6 7 8 9	-	0.18 lbs.	392°F	Vikan	FDA 02 03
	4011x	4" Stainless Steel Handle-Mounted Scraper	8.07"	3.94"	1.26"	Polypropylene/Stainless Steel
	2 3 4 5 6 7	-	0.2 lbs.	392°F	Vikan	FDA 02 03
	4012x	Nylon Scraper with Threaded Handle	8.07"	3.94"	1.26"	Polypropylene/Nylon
	2 3 4 5 6	-	0.15 lbs.	250°F	Vikan	FDA 02 03
	4051x	Flexible Hand Scraper	6.5"	0.08"	3.62"	Polypropylene
	2 3 4 5 6	-	0.04 lbs.	250°F	Vikan	FDA 02 03
	4057x	Stainless Steel Dough Cutter/Scraper	5.7"	1.2"	4.5"	Polypropylene/Stainless Steel
	2 3 4 5 6 7	-	0.27 lbs.	338°F	Vikan	FDA 02 03
	6959x	Mini Bench Scraper	0.3"	5.25"	3.4"	Polypropylene
	1 2 3 4 5 6 7 8 9 0 66 77 88	183°F	0.09 lbs.	266°F	Remco	FDA 02 03
	6960x	Bench Scraper	0.9"	8.3"	5.2"	Polypropylene
	1 2 3 4 5 6 7 8 9 0 66 77 88	183°F	0.29 lbs.	266°F	Remco	FDA 02 03
	6961x	3" Scraper	0.75"	3"	7.8"	Polypropylene
	1 2 3 4 5 6 7 8 9 0 66 77 88	183°F	0.1 lbs.	266°F	Remco	FDA 02 03
	6962x	4" Scraper	0.88"	4.25"	9.19"	Polypropylene
	1 2 3 4 5 6 7 8 9 0 66 77 88	183°F	0.15 lbs.	266°F	Remco	FDA 02 03
	6963x	4" High Temperature Scraper	0.88"	4.25"	9.38"	Nylon/Glass-Fiber
	2 3 4 5 6	424°F	0.25 lbs.	392°F	Remco	FDA 02 03
	6971x	1.5" Stainless Steel Scraper	1"	1.5"	8.9"	Polypropylene/Stainless Steel
	1 2 3 4 5 6 7 8 9 0 66 77 88	183°F	0.21 lbs.	266°F	Remco	FDA 02 03
	6972x	3" Stainless Steel Scraper	1"	3"	8.9"	Polypropylene/Stainless Steel
	1 2 3 4 5 6 7 8 9 0 66 77 88	183°F	0.25 lbs.	266°F	Remco	FDA 02 03
	7011x	Stiff Paddle Scraper	8.66"	4.53"	1.3"	Nylon
	2 3 4 5 6	-	0.31 lbs.	347°F	Vikan	FDA 02 03
	7013x	Flexible Paddle Scraper	8.66"	4.53"	1.3"	Polyethylene
	2 3 4 5 6	-	0.22 lbs.	176°F	Vikan	FDA 02 03

New Item!


Wall Brackets



10116



06154



16200



0618



0617



0616



10127



10142



10133



Protect your tools and keep work areas neat with color-coded wall brackets from Vikon. Properly hanging your tools prolongs the life of your equipment. Most brackets are extendable when mounted adjacently and can accommodate nearly any product.

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors		Weight	Max Temp	Brand	Additional Details
	0616	Wall Bracket for 1 Tool	1.9"	2.6"	2.2"	Stainless Steel
	-		0.22 lbs.	250°F		
	0617	Wall Bracket for 4 Tools	12"	2.6"	2.2"	Stainless Steel
	-		0.9 lbs.	250°F		
	0618	Wall Bracket for 6 Tools	18.11"	2.56"	2.17"	Stainless Steel
	-		1.3 lbs.	250°F		
	0615x	Wall Bracket	9.45"	6.69"	2.36"	Polypropylene
			0.51 lbs.	212°F		
	1011x	Hygienic Hi-Flex Wall Bracket System	16.54"	3.43"	1.89"	Polypropylene/TPE Rubber/Polyamide
			0.64 lbs.	250°F		
	1012x	Hygienic Wall Bracket, Single Hook Module	1.61"	3.07"	1.89"	Polypropylene/Polyamide
			0.06 lbs.	250°F		
	1013x	Hygienic Wall Bracket, Grip Band Module	3.23"	3.43"	1.89"	Polypropylene/TPE Rubber/Polyamide
			0.18 lbs.	250°F		
	1014x	Hygienic Wall Bracket, Double Hook Module	3.23"	3.07"	1.89"	Polypropylene/Polyamide
			0.12 lbs.	250°F		
	16200	Wall Bracket for Bucket	14.57"	3.15"	1.97"	Stainless Steel
	-		0.51 lbs.	250°F		

For information about spare parts for our wall brackets, email cs@remcoproducts.com

Buckets

56872



56862

56933



56923

56894



56884

Buckets from Viken are ideal for moving, measuring, and mixing bulk materials, and are color-coded to assist in the prevention of cross-contamination.

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors		Weight	Max Temp	Brand	Additional Details
	5686x	3 Gallon Bucket	12.8"	13"	13"	Polypropylene/Stainless Steel
	1 2 3 4 5 6 7 8 9 0 66 77 88		2.2 lbs.	250°F		
	5687x	3 Gallon Bucket Lid	14.37"	12.2"	1.57"	Polypropylene
	1 2 3 4 5 6 7 8 9 0 66 77 88		0.5 lbs.	250°F		
	5688x	1.5 Gallon Bucket	10.24"	10.63"	10.16"	Polypropylene/Stainless Steel
	2 3 4 5 6 7 8 9		1.21 lbs.	250°F		
	5689x	1.5 Gallon Bucket Lid	11.61"	9.84"	0.79"	Polypropylene
	2 3 4 5 6 7 8 9		0.26 lbs.	250°F		
	5692x	5 Gallon Bucket	18.5"	18.5"	14.96"	Polypropylene/Stainless Steel
	2 3 4 5 6		3.88 lbs.	250°F		
	5693x	5 Gallon Bucket Lid	14.37"	12.2"	1.57"	Polypropylene
	2 3 4 5 6		0.88 lbs.	250°F		













Metal Detectable Products




Produced with a specially formulated FDA-compliant polypropylene resin, our tools can be identified by standard metal detection equipment. They are a great alternative to stainless steel.



	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Deflection Temp	Weight	Max Temp	Brand	Additional Details
	6400MDx	32 oz. Metal Detectable Hand Scoop	11.5"	4.3"	3"	Polypropylene/Semi-Ferrous Additive
	2 3 4 5	183°F	0.53 lbs.	266°F	Remco	FDA 02
	6500MDx	82 oz. Metal Detectable Hand Scoop	15.1"	5.9"	3.3"	Polypropylene/Semi-Ferrous Additive
	2 3 4 5	183°F	0.87 lbs.	266°F	Remco	FDA 02
	6777MDx	52" Metal Detectable Mixing Paddle	51.7"	6"	1.4"	Polypropylene/Semi-Ferrous Additive
	2 3 4 5	183°F	3.63 lbs.	266°F	Remco	FDA 02
	6959MDx	5" Metal Detectable Mini Bench Scraper	0.3"	5.25"	3.4"	Polypropylene/Semi-Ferrous Additive
	2 3 4 5	183°F	0.12 lbs.	266°F	Remco	FDA 02
	6960MDx	8" Metal Detectable Bench Scraper	0.9"	8.3"	5.2"	Polypropylene/Semi-Ferrous Additive
	2 3 4 5	183°F	0.39 lbs.	266°F	Remco	FDA 02
	6961MDx	3" Metal Detectable Scraper	0.75"	3"	7.88"	Polypropylene/Semi-Ferrous Additive
	2 3 4 5	183°F	0.15 lbs.	266°F	Remco	FDA 02
	6962MDx	4" Metal Detectable Scraper	0.82"	4.25"	9.19"	Polypropylene/Semi-Ferrous Additive
	2 3 4 5	183°F	0.25 lbs.	266°F	Remco	FDA 02
	6981MDx	One-Piece Metal Detectable Shovel w/ 10" Blade	37.5"	10.2"	5.9"	Polypropylene/Semi-Ferrous Additive
	2 3 4 5	183°F	3.53 lbs.	266°F	Remco	FDA 02
	6982MDx	One-Piece Metal Detectable Shovel w/ 14" Blade	42.5"	13.75"	6.6"	Polypropylene/Semi-Ferrous Additive
	2 3 4 5	183°F	5.49 lbs.	266°F	Remco	FDA 02
	MDTK	Metal Detectable Test Kit	4.3"	1.9"	0.5"	Polypropylene/Semi-Ferrous Additive
	Blue	183°F	0.03 lbs.	266°F	Remco	FDA 02



Approximate Detectability of Remco Metal Detectable Line
























Due to variables in the testing environment, the exact level of detection should be determined by in-house testing.

The Metal Detectable Test Kit is available to allow testing for detectability with specific equipment. Many variables contribute to detectability. Please contact Remco for guidance in testing with your system.









Tubs and Undercarriages



Remco tubs are designed for bulk material handling jobs that require containers made of FDA-compliant materials. Constructed of high-density polyethylene, they can be used for transporting, freezing, and storing.

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Deflection Temp	Weight	Max Temp	Brand	Additional Details
	69015	Angled Dump Tub	54.6"	32"	21.7"	Polyethylene
	White	173°F	28 lbs.	258°F	Remco	  
	69025	Angled Dump Tub Lid	56"	32"	4.3"	Polyethylene
	White	173°F	15 lbs.	258°F	Remco	  
	6903	Regular Undercarriage	41.1"	27.3"	19.1"	Galvanized Steel
	-	-	69.5 lbs.	-	Remco	 
	6904	Low Undercarriage	40.25"	26.9"	8.9"	Galvanized Steel
	-	-	85.5 lbs.	-	Remco	 
	69055	Angled Dump Tub w/Drain Plug	54.6"	32"	21.7"	Polyethylene
	White	173°F	28 lbs.	258°F	Remco	  
	6906	Stainless Steel Undercarriage	41.1"	27.3"	19.1"	Stainless Steel
	-	-	57 lbs.	-	Remco	 



	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Deflection Temp	Weight	Max Temp	Brand	Additional Details
	69115	Transport Storage Tub	46.8"	26.5"	16.9"	Polyethylene
	White	173°F	20.5 lbs.	258°F	Remco	FDA 02 03
	69125	Transport Storage Tub Lid	46.9"	26.9"	1.7"	Polyethylene
	White	173°F	10.5 lbs.	258°F	Remco	FDA 02 03
	6913	Galvanized Steel Undercarriage	42.5"	21.6"	9.4"	Galvanized Steel
	-	-	57.5 lbs.	-	Remco	02 03
	69155	Transport Storage Tub w/ Drain Plug	46.8"	26.5"	16.9"	Polyethylene
	White	173°F	20.5 lbs.	258°F	Remco	B 02 03
	6921	Aero Tote Tub	40.7"	37"	20.7"	Polyethylene
	White	173°F	25.5 lbs.	258°F	Remco	FDA 02 03
	6922	Aero Tote Tub Lid	41.2"	37.2"	2.75"	Polyethylene
	White	173°F	13.5 lbs.	258°F	Remco	FDA 02 03
	6923	Aero Tote Pallet	37.4"	32.6"	9.8"	Polyethylene
	White	173°F	18 lbs.	258°F	Remco	FDA 02 03
	6925	Aero Tote Tub w/ Drain Plug	40.7"	37"	20.7"	Polyethylene
	White	173°F	25.50 lbs.	258°F	Remco	B 02 03



CLEANING TOOLS

Maintaining a sanitary environment is an absolute necessity in a food processing facility, but production time is also an important focus. The ideal sanitation program integrates efficacy and efficiency. Compromise is never an option when it comes to keeping consumers safe from contamination.

For over 125 years, Vikan has focused on developing the most hygienic and effective cleaning tools in the world. With Vikan's product development emphasis on efficiency, functionality, and ergonomics, sanitation professionals have access to tools that are precisely suited for the most complex cleaning tasks.

With Remco's local support, your facility is afforded the ability to meet and exceed the highest food safety and quality standards in the industry—protecting the safety of your food products and the integrity of your brand.



Cleaning Tools Product Selection Guide

Remco and Vikan offer a range of brush styles, squeegee blades, and handle types to meet the varying demands of food processors.

Choose the bristle type that best fits the application:



Soft

Ideal for sweeping dry, fine particles like flour and sugar.



Medium

Can be used for wet or dry applications; great for sweeping larger food particles like peelings.



Stiff

Perfect for scrubbing difficult dirt and for wet use with cleaning agents.



Soft/Stiff Combo

Stiff bristles that loosen stubborn dirt combine with soft bristles that sweep away fine particles.



Soft/Split

Split bristle fibers hold more water and cleaning agent to achieve a maximum washing effect.

Choose the blade that best fits the application:



Single Blade Ultra Hygiene

Zero seams or cracks for bacteria to hide in, providing the highest level of hygiene. The hygienic design has smooth, rounded surfaces with elongated ends to protect the rubber blade and guard against splashes.



Double Blade Ultra Hygiene

Efficient in areas such as large food production facilities, it collects every particle with flexible non-porous rubber blades. These squeegees feature replaceable rubber cassettes designed to move liquids and debris on tiled, uneven surfaces.



Double Blade Foam Rubber

The neoprene rubber blades make this squeegee the most effective at moving large amounts of liquid on smooth and tiled surfaces. The soft black blade is intended for use on floors only and is not FDA-compliant.

Choose the handle that best fits the application:

Ultra Hygiene



Made of FDA-compliant polypropylene, this handle is uniquely hygienic and durable in its construction. It also boasts the added benefit of being total color, making it an excellent choice for inclusion in a color-coding system.

Stainless Steel



Stainless steel handles stand up to the most aggressive chemicals, making them a great choice for environments where chemical resistance is critical.

Aluminum



Aluminum handles are a solid option in any hygiene-sensitive environment. Aluminum provides a cost-effective and reliable solution to a facility's needs.

Fiberglass













































Remco strongly recommends transitioning to total-color Ultra Hygiene handles. Ultra Hygiene handles are more hygienic, ergonomic, and cost less than fiberglass. Please contact us for more details.

Sweeping Brooms









































Vikan sweeping brooms are designed for environments where hygiene and efficiency are essential.

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Bristle Type	Weight	Max Temp	Brand	Additional Details
	2914x	12" Angle Broom	11.42"	1.57"	10.63"	Polypropylene/Polyester/SS
		Stiff	1.02 lbs.	250°F		  
	2915x	13" Push Broom	13"	3.94"	6.69"	Polypropylene/Polyester/SS
		Stiff	1.72 lbs.	250°F		  
	2916x	12" Split Bristle Angle Broom	11.8"	1.75"	9.25"	Polypropylene/Polyester/SS
		Soft/Split	0.9 lbs.	250°F		  
	2920x	20" Push Broom	20.87"	3.54"	6.89"	Polypropylene/Polyester/SS
		Stiff	2.45 lbs.	250°F		  
	3103x	10" Dustpan Broom with Angled Thread	9.84"	1.18"	4.72"	Polypropylene/Polyester/SS
		Medium	0.32 lbs.	250°F		  
	3104x	10" Upright Broom	10.24"	1.38"	6.89"	Polypropylene/Polyester/SS
		Soft	0.75 lbs.	250°F		  
	3166x	12" Upright Broom	12.2"	2.36"	5.51"	Polypropylene/Polyester/SS
		Medium	0.95 lbs.	250°F		  
	3178x	16" Fine Particle Push Broom	16.25"	2.8"	4.2"	Polypropylene/SS
		Soft/Split	1.03 lbs.	185°F		  

Sweeping Brooms













These brooms come in a variety of bristle options to accommodate cleaning and sanitation efforts in any food production facility. For more information regarding bristle types and intended usage, see the Product Selection Guide found on page 29.

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Bristle Type	Weight	Max Temp	Brand	Additional Details
	3171x 	16" UST Soft Push Broom Soft	15.75" 0.78 lbs.	1.97" 250°F	3.74" 	Polypropylene/Polyester   
	3173x 	16" UST Medium Push Broom Medium	15.25" 0.9 lbs.	1.875" 250°F	4.7" 	Polypropylene/Polyester   
	3174x 	16" Combo Push Broom Soft/Stiff	16.14" 1.17 lbs.	3.54" 250°F	4.72" 	Polypropylene/Polyester/SS  
	3175x 	16" Heavy-Duty Push Broom Soft/Stiff	16.5" 1.63 lbs.	3.1" 250°F	5.3" 	Polypropylene/Polyester/SS  
	3179x 	16" Small Particle Push Broom Soft	16.14" 1.1 lbs.	2.56" 250°F	5.12" 	Polypropylene/Polyester/SS  
	3194x 	24" Combo Push Broom Soft/Stiff	24.02" 1.65 lbs.	2.76" 250°F	4.92" 	Polypropylene/Polyester/SS  
	3195x 	24" Heavy-Duty Push Broom Soft/Stiff	24.4" 2.46 lbs.	3.1" 250°F	5.3" 	Polypropylene/Polyester/SS  
	3199x 	24" Small Particle Push Broom Soft	24.02" 1.7 lbs.	2.56" 250°F	4.92" 	Polypropylene/Polyester/SS  

Deck Scrubs



Deck scrubs and tank brushes from Vikan are available in a variety of bristle options and are designed to accommodate cleaning and sanitation efforts in any food production facility. Additional information regarding bristle types and usage can be found in the Product Selection Guide on page 29. More information and a complete listing of Vikan waterfed products offered by Remco can be found on pages 52 and 53.


	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Bristle Type	Weight	Max Temp	Brand	Additional Details
	7040x	Grout Brush	8.86"	1.38"	3.54"	Polypropylene/Polyester/SS
		Stiff	0.49 lbs.	250°F		  
	7042x	Compact Deck Scrub	8.86"	2.95"	4.53"	Polypropylene/Polyester/SS
		Stiff	0.73 lbs.	250°F		  
	7047x	High-Low Brush	10.43"	5.91"	3.94"	Polypropylene/Polyester/SS
		Medium	1.1 lbs.	250°F		  
	7060x	12" Deck Scrub	12.01"	3.35"	4.33"	Polypropylene/Polyester/SS
		Stiff	1.3 lbs.	250°F		  
	7067x	Waterfed Washing Brush w/ Angle Adjustment	9.45"	5.12"	5.71"	Polypropylene/Polyester/SS
		Soft/Split	0.95 lbs.	250°F		   



Deck Scrubs



Tank Brushes



	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Bristle Type	Weight	Max Temp	Brand	Additional Details
	7037x	Stiff Tank Brush	8.07"	5.12"	3.94"	Polypropylene/Polyester/SS
	1 2 3 4 5 6 7 8 9 10 11 12	Stiff	1.04 lb.	250°F	Vikan	FDA 02 03 04
	7039x	Medium Tank Brush	8.07"	5.12"	3.94"	Polypropylene/SS
	2 3 4 5 6	Medium	0.88 lbs.	185°F	Vikan	FDA 02 03 04
	7041x	11" Extra-Stiff Deck Scrub	10.63"	2.95"	3.74"	Polypropylene/Polyester/SS
	2 3 4 5 6 7	Extra Stiff	0.86 lbs.	250°F	Vikan	FDA 02 03 04 05
	7043x	11" Deck Scrub	10.63"	2.95"	3.94"	Polypropylene/Polyester/SS
	2 3 4 5 6	Medium	0.9 lbs.	250°F	Vikan	FDA 02 03 04 05
	7062x	19" Deck Scrub	18.5"	3.15"	4.53"	Polypropylene/Polyester/SS
	2 3 4 5 6	Stiff	1.96 lbs.	250°F	Vikan	FDA 02 03 04
	7064x	16" UST Deck Scrub	15.75"	1.97"	2.95"	Polypropylene/Polyester
	1 2 3 4 5 6 7 8	Stiff	0.77 lbs.	250°F	Vikan	FDA 02 03 04 05 06

Recommended handles for use with Vikan deck scrubs:

- » 2935x - 51" Aluminum Handle
- » 2939x - 59" Stainless Steel Handle
- » 2960x - 51" Ultra Hygiene Handle

For more handle options, see pages 48-50.



Hand Brushes



38943



38852



38916



38901




35874









64407

Hand brushes from Vikan cover a wide range of scrubbing and cleaning applications while providing an ergonomic grip for the user. Each hand brush is designed to perform a specific cleaning function based on design and bristle type. Additional information regarding bristle types and respective intended use is available in the Product Selection Guide found on page 29.

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Bristle Type	Weight	Max Temp	Brand	Additional Details
	3587x	Medium Hand Brush	6.5"	1.97"	1.77"	Polypropylene/Polyester/SS
		Medium	0.24 lbs.	250°F		  
	3885x	Round Hand Brush	4.33"	4.33"	4.33"	Polypropylene/Polyester/SS
		Stiff	0.53 lbs.	250°F		  
	3890x	Large Hand Brush	7.87"	2.76"	2.36"	Polypropylene/Polyester/SS
		Stiff	0.49 lbs.	250°F		  
 	3891x	UST Hand Brush	6.9"	2.6"	2.2"	Polypropylene/Polyester
		Stiff	0.51 lbs.	250°F		   
 	3894x	XL Hand Brush	9.1"	4.3"	2.7"	Polypropylene/Polyester/SS
		Extra Stiff	0.78 lbs.	250°F		  
	6440x	Small Hand Brush	5.12"	1.97"	1.57"	Polypropylene/Polyester/SS
		Stiff	0.22 lbs.	250°F		  

Hand Brushes




	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Bristle Type	Weight	Max Temp	Brand	Additional Details
	4195x	Narrow Utility Brush	11.81"	0.79"	2.76"	Polypropylene/Polyester/SS
	2 3 4 5 6	Extra Stiff	0.2 lbs.	250°F	Vikan	FDA 02 8
	4581x	UST Soft Bench Brush	13"	1.38"	5.31"	Polypropylene/Polyester
	1 2 3 4 5 6 7 8	Soft	0.4 lbs.	250°F	Vikan	FDA 02 8 8
	4582x	Baker's Brush	11.81"	1.22"	3.94"	Polypropylene/Polyester/SS
	2 3 4 5 6	Soft	0.64 lbs.	250°F	Vikan	FDA 02 8
	4585x	UST Medium Bench Brush	13"	1.38"	5.31"	Polypropylene/Polyester
	1 2 3 4 5 6 7 8	Medium	0.4 lbs.	250°F	Vikan	FDA 02 8 8
	4587x	Soft Bench Brush	13"	1.38"	4.33"	Polypropylene/Polyester/SS
	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100	Soft	0.37 lbs.	250°F	Vikan	FDA 02 8
	4589x	Medium Bench Brush	13"	1.38"	4.33"	Polypropylene/Polyester/SS
	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100	Medium	0.37 lbs.	250°F	Vikan	FDA 02 8

Hand Brushes








































Whether sweeping dry, fine particles or scrubbing stubborn debris in a wet environment, Vikan offers a range of ergonomically designed hand brushes with varying bristle options designed to tackle the task at hand.

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Bristle Type	Weight	Max Temp	Brand	Additional Details
	4179x	UST Short Handle Scrubbing Brush	10.24"	2.76"	3.94"	Polypropylene/Polyester
		Stiff	0.35 lbs.	250°F		   
	4192x	Short Handle Scrubbing Brush	10.63"	2.76"	3.35"	Polypropylene/Polyester/SS
		Stiff	0.46 lbs.	250°F		  
	4194x	Short Handle Washing Brush	10.63"	2.76"	3.35"	Polypropylene/Polyester/SS
		Soft/Split	0.51 lbs.	250°F		  
	4198x	Short Handle Washing Brush	10.63"	2.76"	3.34"	Polypropylene/Polyester/SS
		Soft	0.49 lbs.	250°F		  



Hand Brushes



	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Bristle Type	Weight	Max Temp	Brand	Additional Details
	3088x	Small Utility Brush	10.24"	1.57"	2.76"	Polypropylene/Polyester/SS
		Medium	0.2 lbs.	250°F		  
	4185x	Narrow Long Handle Cleaning Brush	16.54"	1.81"	4.33"	Polypropylene/Polyester/SS
		Stiff	0.51 lbs.	250°F		  
	4186x	Long Handle Scrubbing Brush	16.34"	2.8"	2.95"	Polypropylene/Polyester/SS
		Stiff	0.53 lbs.	250°F		  
	4196x	UST Long Handle Scrubbing Brush	15.55"	2.76"	5.51"	Polypropylene/Polyester
		Stiff	0.44 lbs.	250°F		   
	4237x	Dish Brush w/ Scraper	11.02"	2.36"	2.17"	Polypropylene/Polyester/SS
		Medium	0.11 lbs.	250°F		  
	4287x	Narrow Dish Brush	11.42"	0.98"	2.56"	Polypropylene/Polyester/SS
		Medium	0.09 lbs.	250°F		  

Tube Brushes



Tube and valve brushes are designed to facilitate cleaning in the narrowest spaces. They are suitable for a variety of cleaning tasks including drains, meat mincers, and graters.

Tube Brush Heads



These tube brushes are compatible with:


- 53515 - Metal Flexible Brush Handle
- 5346 - Metal Flexible Brush Handle Extension
- 5350 - Long Metal Flexible Brush Handle
- 53525 - Long Nylon Flexible Brush Handle

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Bristle Type	Weight	Max Temp	Brand	Additional Details
	5346	Stainless Steel Flex Rod Extension for Handle (53515)	30.9"	0.2"	0.2"	Stainless Steel
	Steel	-	0.23 lbs.	250°F		
	5350	Long Stainless Steel Flex Rod Handle	61.4"	1"	1"	Polypropylene/Stainless Steel
	White/Steel	-	0.49 lbs.	250°F		
	53515	Stainless Steel Flex Rod Handle	29.7"	0.2"	0.2"	Polypropylene/Stainless Steel
	White/Steel	-	0.26 lbs.	250°F		
	53525	Nylon Flex Rod Handle	59.25"	0.24"	0.24"	Polyamide/Stainless Steel/Polypropylene
	White	-	0.18 lbs.	250°F		
	5354x	Ø0.5" Tube Brush for Flex Rod	7.87"	0.47"	0.47"	Polyester/Stainless Steel
		Medium	0.04 lbs.	250°F		
	5356x	Ø2.4" Tube Brush for Flex Rod	2.36"	7.87"	7.87"	Polyester/Stainless Steel
		Medium	0.11 lbs.	250°F		


	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Bristle Type	Weight	Max Temp	Brand	Additional Details
	5360x	Ø0.6" Drain Cleaning Brush	12.2"	0.87"	0.87"	Polyester/Stainless Steel/ Polypropylene
		Stiff	0.11 lbs.	250°F		  
	5362x	Small Diameter Tube Brush Set	5.91"	Ø0.08", Ø0.12", Ø0.24"		Polyester/Stainless Steel
		Soft	0.02 lbs.	250°F		  
	5365x	Ø0.8" Tube Brush for Flex Rod	7.87"	0.79"	0.79"	Polyester/Stainless Steel
		Medium	0.07 lbs.	250°F		  
	5368x	Ø1.6" Tube Brush for Flex Rod	7.87"	1.57"	1.57"	Polyester/Stainless Steel
		Medium	0.09 lbs.	250°F		  
	5370x	Ø2.4" Tube Brush	20.08"	2.36"	2.36"	Polyester/Stainless Steel/ Polypropylene
		Medium	0.22 lbs.	250°F		  
	5375x	Ø0.4" Tube Brush	18.9"	0.39"	0.39"	Polyester/Stainless Steel/ Polypropylene
		Stiff	0.15 lbs.	250°F		  
	5376x	Ø0.9" Tube Brush	19.69"	0.79"	0.79"	Polyester/Stainless Steel/ Polypropylene
		Medium	0.18 lbs.	250°F		  
	5378x	Ø1.5" Tube Brush	20.08"	1.57"	1.57"	Polyester/Stainless Steel/ Polypropylene
		Stiff	0.2 lbs.	250°F		  
	5379x	Ø2" Tube Brush	20.08"	1.97"	1.97"	Polyester/Stainless Steel/ Polypropylene
		Medium	0.2 lbs.	250°F		  
	5391x	Ø3.5" Pipe Brush for Flex Rod	7.87"	3.54"	3.54"	Polyester/Stainless Steel
		Medium	0.15 lbs.	250°F		  




























Tube Brushes














































Valve Brushes



When narrow spaces make cleaning a challenge, Vikan tube and valve brushes can help. These products are well-suited for cleaning drains and other equipment in areas where accessibility may be difficult.

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Bristle Type	Weight	Max Temp	Brand	Additional Details
	538050x*	Ø2" Pipe Brush	5.51"	1.97"	1.97"	Polyester/Polypropylene/Stainless Steel
	2 3 4 5 6	Stiff	0.24 lbs.	250°F		  
	538063x*	Ø2.5" Pipe Brush	5.71"	2.56"	2.56"	Polyester/Polypropylene/Stainless Steel
	2 3 4 5 6	Stiff	0.26 lbs.	250°F		  
	538077x*	Ø3" Pipe Brush	6.1"	3.15"	3.15"	Polyester/Polypropylene/Stainless Steel
	2 3 4 5 6 9	Medium	0.26 lbs.	250°F		  
	538090x*	Ø3.5" Pipe Brush	6.3"	3.54"	3.54"	Polyester/Polypropylene/Stainless Steel
	2 3 4 5 6 9	Medium	0.31 lbs.	250°F		  
	5380103x*	Ø4" Pipe Brush	6.69"	3.94"	3.94"	Polyester/Polypropylene/Stainless Steel
	2 3 4 5 6 9	Medium	0.35 lbs.	250°F		  



	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Bristle Type	Weight	Max Temp	Brand	Additional Details
	53815	Ø1" Tube Brush w/ 3' Flex Handle	36.2"	1"	1"	Polyester/Stainless Steel/ Polypropylene
	White/Steel	Stiff	0.31 lbs.	250°F		  
	53825	Ø2" Tube Brush w/ 3' Flex Handle	36.2"	1.9"	1.9"	Polyester/Stainless Steel/ Polypropylene
	White/Steel	Soft	0.34 lbs.	250°F		  
	53835	Ø3" Tube Brush w/ 3' Flex Handle	36.2"	3"	3"	Polyester/Stainless Steel/ Polypropylene
	White/Steel	Soft	0.37 lbs.	250°F		  
	53865	Ø1" Tube Brush w/ 5' Flex Handle	59.8"	1"	1"	Polyester/Stainless Steel/ Polypropylene
	White/Steel	Stiff	0.5 lbs.	250°F		  
	53875	Ø2" Tube Brush w/ 5' Flex Handle	59.8"	1.9"	1.9"	Polyester/Stainless Steel/ Polypropylene
	White/Steel	Soft	0.5 lbs.	250°F		  
	53885	Ø3" Tube Brush w/ 5' Flex Handle	59.8"	3"	3"	Polyester/Stainless Steel/ Polypropylene
	White/Steel	Soft	0.55 lbs.	250°F		  
	7035x*	Ø5" Pipe Brush	4.53"	5.31"	5.31"	Polyester/Polypropylene/ Stainless Steel
		Medium	0.71 lbs.	250°F		  
	538280x	Ø3.5" One-Piece Pipe Brush	16.9"	3.1"	3.1"	Polyester/Polypropylene/ Stainless Steel
		Stiff	0.47 lbs.	250°F		  



Recommended handles for use with Vikan Pipe Brushes:






- » 2960x - 51" Ultra Hygiene Handle
- » 2962x - 59" Ultra Hygiene Handle
- » 2964x - 67" Ultra Hygiene Handle
- » 2935x - 51" Color-Coded Aluminum Handle
- » 2945 - 51" Aluminum Handle

For more handle options, see pages 48-50.

Special Application Brushes



Vikan special application brushes solve specific cleaning challenges in hygienic environments.

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Bristle Type	Weight	Max Temp	Brand	Additional Details
	4197x	Ultra-Slim Wand Brush	23.62"	0.59"	2.36"	Regenerated Polypropylene/ Polyester/Stainless Steel
	53619	Drain Cleaning Brush	10.83"	3.78"	2.36"	Polyester/Stainless Steel/ Polypropylene
	5372x	Hook Brush	14.17"	7.87"	2.17"	Polyester/Stainless Steel/ Polypropylene
	53713	Soft Overhead Brush	20.87"	9.06"	6.69"	Polyester/Stainless Steel/ Polypropylene
	53743	Medium Overhead Brush	20.08"	7.48"	4.72"	Polyester/Stainless Steel/ Polypropylene

Detail Brushes



39515

440177
































5551303

5552302

5552504

5552706

Vikan detail brushes clean where other brushes can't reach.

	Parent Number	Product Name	Length	Width	Thickness	Materials
	Available Colors	Bristle Type	Weight	Max Temp	Brand	Additional Details
	3951x	Detail Brush with Scraping Edge	5.91"	1.06"	3.54"	Polypropylene/Polyester
	3 4 5	Stiff	0.06 lbs.	250°F		  
	4401x	Detail Brush	8.07"	0.79"	1.57"	Polypropylene/Polyester/SS
	2 3 4 5 6 7 8 9 10	Stiff	0.07 lbs.	250°F		  
	555130x	UST Detail Brush	8.07"	1.18"	0.39"	Polypropylene/Polyester
	1 2 3 4 5 6 7 8	Soft	0.07 lbs.	250°F		   
	555230x	1" Pastry/Detail Brush	7.68"	1.18"	0.57"	Polyester/Polypropylene/Stainless Steel
	2 3 4 5 6	Soft	0.07 lbs.	250°F		  
	555250x	2" Pastry/Detail Brush	7.68"	1.97"	0.57"	Polyester/Polypropylene/Stainless Steel
	2 3 4 5 6	Soft	0.09 lbs.	250°F		  
	555270x	3" Pastry/Detail Brush	7.68"	2.76"	0.57"	Polyester/Polypropylene/Stainless Steel
	2 3 4 5 6	Soft	0.13 lbs.	250°F		  

Squeegees



77152



77142



77132



77646



77553



77543



77533



77523



71704



71604















71504



71404

Ultra Hygiene squeegees are perfect for food contact surfaces, while foam blade squeegees powerfully tackle floors and drains. Replacement blades are available for foam blade and double blade Ultra Hygiene squeegees. See pages 46-47 for replacement blade options.



	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors		Weight	Max Temp	Brand	Additional Details
	7140x	16" Single Blade Ultra Hygiene Squeegee	15.75"	3.15"	3.54"	Polypropylene/Rubber
	1 2 3 4 5 6 7 8 9 66 77 88		0.57 lbs	250°F	Vikan	FDA 02 03 04
	7150x	20" Single Blade Ultra Hygiene Squeegee	19.69"	2.95"	3.35"	Polypropylene/Rubber
	2 3 4 5 6		0.68 lbs.	250°F	Vikan	FDA 02 03 04
	7160x	24" Single Blade Ultra Hygiene Squeegee	23.62"	3.15"	3.74"	Polypropylene/Rubber
	1 2 3 4 5 6 7 8 9 66 77 88		0.79 lbs.	250°F	Vikan	FDA 02 03 04
	7170x	28" Single Blade Ultra Hygiene Squeegee	27.56"	2.76"	3.35"	Polypropylene/Rubber
	2 3 4 5 6		0.9 lbs.	250°F	Vikan	FDA 02 03 04
	7713x	20" Double Blade Ultra Hygiene Squeegee	19.88"	2.76"	3.94"	Polypropylene/Rubber
	2 3 4 5 6		0.64 lbs.	250°F	Vikan	FDA 02 03 04
	7714x	24" Double Blade Ultra Hygiene Squeegee	23.82"	3.15"	4.33"	Polypropylene/Rubber
	1 2 3 4 5 6 7 8 9		0.79 lbs.	250°F	Vikan	FDA 02 03 04
	7715x	28" Double Blade Ultra Hygiene Squeegee	27.56"	3.15"	4.33"	Polypropylene/Rubber
	2 3 4 5 6		0.88 lbs.	250°F	Vikan	FDA 02 03 04
	7752x††	16" Foam Blade Squeegee	15.75"	3.54"	4.33"	Polypropylene/Foam Rubber
	2 3 4 5 6		0.44 lbs.	199°F	Vikan	04
	7753x††	20" Foam Blade Squeegee	19.69"	2.76"	4.53"	Polypropylene/Foam Rubber
	2 3 4 5 6 9		0.55 lbs.	199°F	Vikan	04
	7754x††	24" Foam Blade Squeegee	23.62"	3.35"	4.53"	Polypropylene/Foam Rubber
	1 2 3 4 5 6 7 8 9 66 77 88		0.64 lbs.	199°F	Vikan	04
	7755x††	28" Foam Blade Squeegee	27.56"	3.15"	4.33"	Polypropylene/Foam Rubber
	2 3 4 5 6		0.73 lbs.	199°F	Vikan	04
	7764x	24" Swivel Neck Foam Blade Squeegee	23.62"	3.94"	2.95"	Polypropylene/Foam Rubber
	2 3 4 5 6		0.84 lbs.	199°F	Vikan	FDA 04



†† Black foam blades are not FDA compliant.

Squeegees

77352



77342



77332



77312



These replacement blades are for the Double Blade Ultra Hygiene Squeegees. See page 44-45 for more replacement head options.

















77163

When condensation forms in high places, you can efficiently remove it with this unique ceiling squeegee.



Vikan bench squeegees are perfect for a variety of countertop applications.



	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors		Weight	Max Temp	Brand	Additional Details
	7125x*	10" Single Blade Ultra Hygiene Bench Squeegee	9.65"	1.97"	4.09"	Polypropylene/Rubber
	1 2 3 4 5 6 7 8		0.51 lbs.	250°F	Vikan	FDA 02
	7711x*	10" Double Blade Ultra Hygiene Squeegee	9.84"	2.76"	3.74"	Polypropylene/Rubber
	2 3 4 5 6		0.46 lbs.	250°F	Vikan	FDA 02
	7716x	16" Condensation Squeegee	15.75"	5.12"	3.15"	Polypropylene/TPE Rubber
	2 3 4 5 6		0.62 lbs.	250°F	Vikan	02
	7731x	10" Double Blade Refill Cartridge for 7711x	9.84"	0.98"	1.77"	Polypropylene/Rubber
	2 3 4 5 6		0.18 lbs.	250°F	Vikan	FDA 02
	7733x	20" Double Blade Refill Cartridge for 7713x	19.69"	0.98"	1.77"	Polypropylene/Rubber
	2 3 4 5 6		0.31 lbs.	250°F	Vikan	FDA 02
	7734x	24" Double Blade Refill Cartridge for 7714x	23.62"	0.98"	1.77"	Polypropylene/Rubber
	1 2 3 4 5 6 7 8 9		0.37 lbs.	250°F	Vikan	FDA 02
	7735x	28" Double Blade Refill Cartridge for 7715x	27.56"	0.98"	1.77"	Polypropylene/Rubber
	2 3 4 5 6		0.44 lbs.	250°F	Vikan	FDA 02
	7751x*	10" Foam Blade Squeegee	9.84"	2.76"	4.33"	Polypropylene/Foam Rubber
	2 3 4 5 6		0.42 lbs.	194°F	Vikan	02
	77715	10" Foam Blade Refill Cartridge for 7751x or 7761x	9.84"	1.18"	1.77"	Polypropylene/Foam Rubber
	White		0.13 lbs.	194°F	Vikan	02
	7772x†	16" Foam Blade Refill Cartridge for 7752x or 7762x	15.75"	1.18"	1.77"	Polypropylene/Foam Rubber
	5 9		0.2 lbs.	194°F	Vikan	02
	7773x†	20" Foam Blade Refill Cartridge for 7753x or 7763x	19.69"	1.18"	1.77"	Polypropylene/Foam Rubber
	5 9		0.24 lbs.	194°F	Vikan	02
	7774x†	24" Foam Blade Refill Cartridge for 7754x or 7764x	23.62"	1.18"	1.77"	Polypropylene/Foam Rubber
	5 9		0.29 lbs.	194°F	Vikan	02
	7775x†	28" Foam Blade Refill Cartridge for 7755x or 7765x	27.56"	1.18"	1.77"	Polypropylene/Foam Rubber
	5 9		0.33 lbs.	194°F	Vikan	02

Recommended handles for use with Vikan Condensation Squeegee:

- » 6268B - 16' Extension Handle w/ Bottle
- » 2973Q5 - Waterfed Telescopic Handle

For more handle options, see pages 48-50.





† White foam blades are FDA compliant.
† Black foam blades are not FDA compliant.

Handles



Vikan handles are designed to meet the needs of the food processing industry. These handles may be paired with Vikan and Remco tools. For more information regarding the differences between handle types, see the Product Selection Guide on page 29.

Polypropylene

2934x 
 2960x / 2962x / 2964x / 2966x / 2968x 

Aluminum

2935x / 2937x 
 2945 
 2931x / 2958x / 2959x 
































































































Stainless Steel

2939x / 2983x 

Fiberglass

2936x / 2938x 



	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors		Weight	Max Temp	Brand	Additional Details
	2931x	33" Basic Aluminum Handle	33.07"	0.87"	0.87"	Aluminum/Polypropylene
			0.40 lbs.	250°F		  
	2934x	6" Mini Handle	6.3"	1.18"	1.18"	Polypropylene
			0.15 lbs.	250°F		  
	2935x	51" Aluminum Handle	51.57"	1.22"	1.22"	Polypropylene/Aluminum
			1.08 lbs.	250°F		  
	2936x	51" Fiberglass Handle	51.4"	1.25"	1.25"	Polypropylene/Fiberglass
			1.06 lbs.	250°F		  
	2937x	59" Aluminum Handle	59.45"	1.22"	1.22"	Polypropylene/Aluminum
			1.17 lbs.	250°F		  
	2938x	59" Fiberglass Handle	59.2"	1.25"	1.25"	Polypropylene/Fiberglass
			1.16 lbs.	250°F		  
	2939x	59" Stainless Steel Handle	59.45"	1.22"	1.22"	Polypropylene/Stainless Steel
			2.27 lbs.	250°F		  
	2945	51" Aluminum Light-Duty Handle	51.2"	0.9"	0.9"	Aluminum/Polypropylene
	White/Steel		0.39 lbs.	250°F		  
	2958x	50" Basic Aluminum Handle	49.61"	0.98"	0.98"	Aluminum/Polypropylene
			0.66 lbs.	212°F		  
	2959x	59" Basic Aluminum Handle	57.48"	0.98"	0.98"	Aluminum/Polypropylene
			0.73 lbs.	212°F		  
	2960x	51" Ultra Hygiene Handle	51.18"	1.26"	1.26"	Polypropylene
			0.85 lbs.	250°F		  
	2962x	59" Ultra Hygiene Handle	59.06"	1.26"	1.26"	Polypropylene
			0.99 lbs.	250°F		  
	2964x	67" Ultra Hygiene Handle	66.93"	1.26"	1.26"	Polypropylene
			1.09 lbs.	250°F		  
	2966x	26" Ultra Hygiene Handle	25.6"	1.26"	1.26"	Polypropylene
			0.48 lbs.	250°F		  
	2968x	40" Ultra Hygiene Handle	39.4"	1.26"	1.26"	Polypropylene
			0.68 lbs.	250°F		  
	2983x	39" Stainless Steel Handle	40.35"	1.22"	1.22"	Polypropylene/Stainless Steel
			1.59 lbs.	250°F		  

Extension Handles and Accessories



Adjustable Angle Thread Adapter
Adapter can be attached to any handle and adjusted to the appropriate angle to facilitate easier cleaning.



Color-Coded Silicone Bands
Can be attached to any handle for inclusion in a color-coding program.



Extension handles from Remco and Vikan make easy work of difficult-to-reach cleaning tasks. These handles can be paired with Vikan and Remco tools. For more on handle types, see the Product Selection Guide on page 29.

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Deflection Temp	Weight	Max Temp	Brand	Additional Details
	2975x	62"- 109" Telescopic Aluminum Handle	62.01" - 109.45"	1.26"	1.26"	Aluminum/Polypropylene
	2 3 4 5 6 9	-	2.09 lbs.	250°F	Vikan	FDA 02
	2977	74"- 237" Telescopic Fiberglass Handle	74.02" - 236.22"	1.34"	1.34"	Fiberglass/Polypropylene
	Gray/Black	-	3.99 lbs.	212°F	Vikan	02
	6268	16' Extension Handle	98.75" - 185.5"	1.26"	1.26"	Fiberglass/Aluminum
	Yellow/White/Black	203°F	2.77 lbs.	392°F	Remco	02
	6268B	16' Extension Handle w/ Bottle	99" - 186"	1.26"	1.26"	Fiberglass/Aluminum
	Yellow/White/Black	203°F	2.83 lbs.	392°F	Remco	02
	6268N	16' Extension Handle w/ Drain	100" - 187"	1.26"	1.26"	Fiberglass/Aluminum
	Yellow/White/Black	203°F	2.83 lbs.	392°F	Remco	02
	9801x	1" Color-Coding Silicone Band*	1.19"	1.02"	-	Silicone Rubber
	1 2 3 4 5 6 7 8 9 66 77 88	-	0.04 lbs.	250°F	Vikan	FDA 02
	9802x	1.5" Color-Coding Silicone Band**	1.19"	1.57"	-	Silicone Rubber
	1 2 3 4 5 6 7 8 9 66 77 88	-	0.04 lbs.	250°F	Vikan	FDA 02
	29989	Angle Thread Adapter	5.51"	1.77"	1.38"	Polypropylene/Stainless Steel
	Black	-	0.13 lbs.	-	Vikan	02

Pad Holder System



Close-up of open locking hook

55002



55104



5523







5525



5524

Vikan's pad holder system uses stainless steel locking hooks to secure the pad firmly in place for cleaning difficult angles and areas. Pads are an excellent option for cleaning surfaces like floors and walls.

	Parent Number	Product Name	Length	Width	Thickness	Materials
	Available Colors	Pad Type	Weight	Qty	Brand	Additional Details
	5523	Scrub Pad	10"	4.4"	0.8"	Polyester Fibers/Abrasive Additives
	Brown	Coarse Fibers	0.09 lbs.	1 Pad	Remco	
	5524	Scrub Pad	10"	4.4"	1"	Polyester Fibers/Abrasive Additives
	Blue	Medium Fibers	0.09 lbs.	1 Pad	Remco	
	5525	Scrub Pad	10"	4.5"	1.2"	Polyester Fibers
	White	Fine Fibers	0.05 lbs.	1 Pad	Remco	
	5500x	Cleaning Pad Holder	9.25"	3.94"	2.95"	Polypropylene/Stainless Steel/Nylon
	2 3 4 5 6 7 8 9		0.52 lbs.	250°F	Vikan	FDA CE RoHS
	5510x	Handheld Cleaning Pad Holder	9.25"	3.94"	3.15"	Polypropylene/Stainless Steel/Nylon
	2 3 4 5 6		0.51 lbs.	250°F	Vikan	FDA CE RoHS






























Scrub pads are also available in 10 Packs (5523-10PK, 5524-10PK, 5525-10PK)



Waterfed



Ideally suited for many kinds of cleaning projects, the waterfed system puts water where you need it. The heavy-duty water gun controls water consumption and is designed for rinsing chemicals off after cleaning.

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Bristle Type	Weight	Max Temp	Brand	Additional Details
	7041x	11" Extra-Stiff Deck Scrub	10.63"	2.95"	3.74"	Polypropylene/Polyester/Stainless Steel
	2 3 4 5 6 7	Extra Stiff	0.86 lbs.	250°F		   
	7043x	11" Deck Scrub	10.63"	2.95"	3.94"	Polypropylene/Polyester/Stainless Steel
	2 3 4 5 6	Medium	0.9 lbs.	250°F		   
	7057x	Waterfed Hand Brush	13"	1.89"	2.95"	Polyester/Stainless Steel/Polypropylene
	3 5	Stiff	0.53 lbs.	250°F		   
	7067x	Waterfed Washing Brush w/ Angle Adjustment	9.45"	5.12"	5.71"	Polypropylene/Polyester/Stainless Steel
	2 3 4 5 6	Soft/Split	0.95 lbs.	250°F		   
	9324x	Spray Gun	5.71"	2.17"	6.69"	Rubber/Brass/Stainless Steel
	2 3 4 5 6 9	-	1.76 lbs.	203°F		  




9324 does not connect w/ 3/4" GHT. Part number 0703US is required to connect to a standard US hose.

Waterfed




The following quick connect products require our Automatic Shut-Off Coupling to connect with a standard US 3/4" hose:

- » 7057x - Waterfed Hand Brush
- » 9324x - Heavy-Duty Water Gun
- » 2973Qx - Waterfed Telescopic Handle
- » 2991Qx - Waterfed Ergonomic Handle



	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors		Weight	Max Temp	Brand	Additional Details
	0703US	Automatic Shut-Off Coupling	1.95"	1.02"	1.02"	Chrome Plated Brass
	-		0.26 lbs.	250°F		  
	29735	63"- 114" Waterfed Telescopic Handle w/ Barbed Fitting	63.58" - 109.45"	1.26"	1.26"	Aluminum/Polypropylene
	White		2.23 lbs.	250°F		   
	2973Q5	63"- 114" Waterfed Telescopic Handle w/ Quick Disconnect Fitting	62.99" - 109.45"	1.26"	1.26"	Aluminum/Polypropylene
	White		2.25 lbs.	250°F		   
	2991Q5	62" Waterfed Handle w/ Quick Disconnect Fitting	60.63"	1.22"	1.22"	Aluminum/Polypropylene
	White		1.30 lbs.	250°F		   



Standard US 3/4" Hose » 0703US - Automatic Shut-Off Coupling » 2973Qx - Waterfed telescopic handle



MORE PRODUCT RANGES AND COLLECTIONS










Beyond our traditional product ranges, Remco also offers tools for a variety of specific applications. Our high temperature tools can help you stir hot vats and clean cooktops. Floor and drain tools are meant to stand apart from food surface tools so they can tackle the toughest messes in processing plants without contributing to cross-contamination.

And finally, our Top Dog garment collection offers a range of personal protective equipment in the forms of aprons, gowns, and sleeves that are color-coded, hygienically designed, and sure to last.

High Temperature Cleaning Range

The High Temperature Cleaning Range allows you to clean hot surfaces and equipment more safely and effectively than ever before. These tools can help clean grills and cooktops, or handle heated food products. Visit our website for recommended usage temperatures.



	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors		Weight		Brand	Additional Details
	2900x	Nylon Food Hoe	11.25"	2"	8"	Nylon
	2 3 4 5 6		1.13 lbs.		Remco	FDA 02 8
	2911x	Nylon Floor Scraper	10.25"	1"	6.9"	Nylon
	2 3 4 5 6 9		0.65 lbs.		Remco	FDA 02 8
	30024	Toaster Brushes	15.55"	2.05"	1.85"	Polypropylene/Polyester/SS
	Red		0.24 lbs.		Vikan	FDA 02 8
	4012x	Threaded Nylon Scraper	8.07"	3.94"	1.26"	Polypropylene/Nylon
	2 3 4 5 6		0.15 lbs.		Vikan	FDA 02 8
	42885	High-Temp Hand Brush	11.42"	1.18"	2.26"	Polypropylene/Polyester/SS
	White		0.11 lbs.		Vikan	FDA 02 8
	44023	High-Temp Detail Brush	8.07"	0.79"	2.36"	Polypropylene/Polyester/SS
	Blue		0.07 lbs.		Vikan	FDA 02 8
	47535	Threaded High-Temp Brush	5.91"	2.56"	2.17"	Polypropylene/Polyester/SS
	White		0.35 lbs.		Vikan	FDA 02 8
	6963x	Nylon Hand Scraper	0.88"	4.25"	9.38"	Nylon/Glass-Fiber
	2 3 4 5 6		0.25 lbs.		Remco	FDA 02 8
	7011x	Nylon Threaded Paddle	8.66"	4.53"	1.3"	Nylon
	2 3 4 5 6		0.31 lbs.		Vikan	FDA 02 8

Floor and Drain Tools

Floors and drains are key components of any food processing sanitation program, and Remco and Vikan's vast selection of black tools can get the job done while being easily distinguishable from food contact tools. With Remco's durable and functional product lines, sanitation professionals have access to tools that are precisely suited for the most complex floor and drain cleaning tasks.



Vikan.



Wall Bracket
06159

Vikan.



Hi-Flex Wall Bracket
10119

Vikan.



Hi-Flex Wall Bracket,
10129 - Single Hook Module
10149 - Double Hook Module

Vikan.



Hi-Flex Wall Bracket,
Grip Band Module
10139

Vikan.



Stainless Steel
Floor Scraper
29109

Remco



Nylon Floor Scraper
29119

Vikan.



29149: Angle Broom
29169: Split Bristle Broom

Vikan.



13" Push Broom
29159

Vikan.



12" Upright Broom
31669

Vikan.



16" Combo Push Broom
31749

Vikan.



24" Combo Push Broom
31949

Vikan.



Heavy Duty Push Brooms
16": 31759
24" 31959

Vikan.



24" Small Particle
Push Broom
31999

Vikan.



High-Low Brush
70479

Vikan.



12" Deck Scrub
70609

Vikan.



Tank Brush
70379

Vikan.



Hand Brush: 38909
Small Hand Brush: 64409

Vikan.



Short Handle
Scrubbing Brush
41929

Vikan.




Bench Brushes
Soft Bristle: 45879
Medium Bristle: 45899

Vikan.



Detail Brush
44019



Vikan.



Pipe Brushes

Ø3": 5380779

Ø3.5": 5380909

Ø4": 53801039

Remco



One-Piece Shovels

11": 69819

14": 69829

Vikan.



3 Gallon Bucket & Lid

Bucket: 56869

Lid: 56879

Vikan.



1.5 Gallon Bucket & Lid

Bucket: 56889

Lid: 56899

Vikan.



Cleaning Pad Holder

55009

Vikan.



Spray Gun

93249

Remco



Hand Scrapers

3": 69619

4": 69629

Vikan.



Upright Dustpan

56629

Remco



Lobby Dustpan w/ Broom

62509

Remco



Utility Dustpan

6350

Vikan.



Ultra Hygiene Squeegees

16": 71409

24": 71609

Vikan.



Double Blade Ultra

Hygiene Squeegee

24": 77149

Vikan.



Foam Blade Squeegees

20": 77539

24": 77549

Vikan.



24" Double Blade Refill

Cartridge

77349

Vikan.



Foam Blade Refill Cartridges

20": 77739

24": 77749

Vikan.



Ultra Hygiene Handles

29629: 59"

29689: 40"

Vikan.



59" Aluminum Handle

29379

Vikan.



62" - 113" Telescopic

Aluminum Handle

29759

Remco



Value Handles

24": 6024

36": 6036

53": 6053

Remco



Floor and Drain Handles

24": 6024DRN

36": 6036DRN

53": 6053DRN

Durability and Dependability

With Top Dog Reusable Garments

Remco is the exclusive US distributor of Top Dog's reusable color-coded garments. The Top Dog line supports color-coding programs by providing an additional level of visual verification that helps ensure the right people are working in the right places.



Features of Top Dog garments:

- Food safe (FDA-compliant)
- Reusable for 3 months or more, depending on usage
- Waterproof
- Virtually non-stick and non-staining
- Resistant to chemical and acid sanitation products
- Non-porous surface – will not host bacteria or mold
- Recyclable
- Washer and dryer safe
- Will not crack or stiffen in low temperatures or with repeated cleaning
- Impervious to animal fats and degreasers
- Completely latex-free for sensitive users
- Easily repairable
- Very high abrasion resistance



Additional sizes, colors, and styles are available upon request.



Reusable Food-Safe Garments



80012

84023



80023






86046



86034

These products are durable and hygienic, making them an excellent complement to Remco's cleaning and material handling tools. The total-color garments provide protection to the wearer and are easy on the environment because they are reusable. Depending on how they are used, garments may last 3 months or more. Top Dog products are made from an ether-based polyurethane film, making them ideal for the food and beverage industry.

	Parent Number	Product Name	Length	Thickness	Case Qty	Materials
	Available Colors		Weight	Max Temp	Brand	Additional Details
	8001x	6 Mil Die Cut Apron w/ 45" Length	45"	6 mil	36 units	Polyurethane
	2 3 4 5 6		0.4 lbs.	180°F	topdog	FDA 
	8002x	6 Mil Die Cut Apron w/ 50" Length	50"	6 mil	36 units	Polyurethane
	2 3 4 5 6		0.45 lbs.	180°F	topdog	FDA 
	8101x	8 Mil Die Cut Apron w/ 45" Length	45"	8 mil	24 units	Polyurethane
	2 3 4 5 6		0.55 lbs.	180°F	topdog	FDA 
	8102x	8 Mil Die Cut Apron w/ 50" Length	50"	8 mil	24 units	Polyurethane
	2 3 4 5 6		0.6 lbs.	180°F	topdog	FDA 
	8603x	6 Mil Gown w/ 45" Length	45"	6 mil	10 units	Polyurethane
	2 3 4 5 6		0.7 lbs.	180°F	topdog	FDA 
	8604x	6 Mil Gown w/ 50" Length	50"	6 mil	10 units	Polyurethane
	2 3 4 5 6		0.73 lbs.	180°F	topdog	FDA 
	8401x	18" Length Sleeves	18"	6 mil	24 pairs	Polyurethane
	2 3 4 5 6		0.15 lbs.	180°F	topdog	FDA 
	8402x	21" Length Sleeves	21"	6 mil	18 pairs	Polyurethane
	2 3 4 5 6		0.2 lbs.	180°F	topdog	FDA 



INDUSTRIAL TOOLS

Whether it's a remote space adjacent to a food production area or an industrial production facility, areas not requiring ultimate hygiene still demand safe and durable tools. Remco offers a variety of tough, non-sparking, and chemically-resistant products that serve as economical facility maintenance and safety solutions.

Some environments necessitate the use of tools that are compatible with sensitive materials or hazardous substances. When metal is not the right option, rugged plastic tools may fit the bill. Lightweight, injection-molded polypropylene tools can get the job done.

Whether you're cleaning parking lots or hygiene-sensitive benchtops, Remco has the tools you need and can help you design a comprehensive tool plan.



Product Selection Guide

Remco offers a range of shovels to fit the needs of industrial end-users.



















Choose the shovel to fit the application:

Collapsible	Regrind	10" Blade	14" Blade
			
Safety shovels can easily be stored in vehicles, hazmat kits, and small areas for when they're needed.	An environmentally friendly choice, regrind shovels are strong and durable. The regrind shovel is available with 10" and 14" blade widths and multiple handle lengths.	Shovels with this blade are big enough to get small and medium jobs done properly.	Ideal for moving large amounts of materials, 14" blade shovels can make quick work of big jobs.

Industrial and Safety Shovels



Injection-molded shovels are ideal for safe material handling in environments that require non-metallic tools. These tools are cost-effective, durable, lightweight, and won't damage equipment like metal tools can.

	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Deflection Temp	Weight	Max Temp	Brand	Additional Details
	6892SS	Safety Shovel w/ 10" Blade- Standard Handle	39"	10.2"	6.1"	Polypropylene/Steel
	Green and Black	183°F	2.5 lbs.	266°F	Remco	 
	6896SS	Safety Shovel w/ 10" Blade- Extended Handle	43.7"	10.4"	6.3"	Polypropylene/Steel
	Green and Black	183°F	3 lbs.	266°F	Remco	 
	6897SS	Safety Shovel w/ 14" Blade- Short Handle	35.4"	14"	6.7"	Polypropylene
	Green and Black	183°F	3 lbs.	266°F	Remco	 
	6898SS	Safety Shovel w/ 10" Blade- Short Handle	33.1"	10.4"	5.9"	Polypropylene
	Green and Black	183°F	2.5 lbs.	266°F	Remco	 
	6900SS	Safety Shovel w/ 14" Blade- Standard Handle	40.9"	13.8"	7.1"	Polypropylene/Steel
	Green and Black	183°F	3.5 lbs.	266°F	Remco	 
	6985SS	Safety Shovel w/ 14" Blade- Extended Handle	46.1"	13.8"	7.9"	Polypropylene/Steel
	Green and Black	183°F	4 lbs.	266°F	Remco	 



Industrial and Safety Shovels



	Parent Number	Product Name	Length	Width	Height	Materials
	Available Colors	Deflection Temp	Weight	Max Temp	Brand	Additional Details
	6880EB	Collapsible Emergency Blade Shovel	36.5"	10.1"	1.7"	Polypropylene
		183°F	1.77 lbs.	266°F	Remco	
	6895SS	Pan Safety Shovel w/ 10" Blade- Handle Cap	20.9"	10.2"	4.9"	Polypropylene
	Green and Black	183°F	1.5 lbs.	266°F	Remco	
	6896BKSS	Safety Shovel w/ 10" Blade- Extended Handle	44.1"	10.4"	6.3"	Polypropylene/Steel
	Black	183°F	3 lbs.	266°F	Remco	
	6981RG	One-Piece Re grind Shovel w/ 10" Blade	37.5"	10.2"	5.9"	Polypropylene Re grind Material
	Gray	183°F	2.59 lbs.	266°F	Remco	
	6982RG	One-Piece Re grind Shovel w/ 14" Blade	42.5"	13.75"	6.6"	Polypropylene Re grind Material
	Gray	183°F	3.53 lbs.	266°F	Remco	





TRANSPORT CLEANING TOOLS

Vikan's transport tools efficiently and effectively clean vehicles of all sizes, inside and outside. Thanks to a wide range of purpose-built tools, professionals can clean vehicles with ease. From a deep clean to a quick wash, Vikan has the transportation cleaning solutions you need.


Most of the tools in our range feature innovative rubber edges so you can clean as vigorously as you need to without worrying about scratching paint or molding. With a variety of scrubs, brushes, and squeegees to choose from, every part of a vehicle can be cleaned quickly and completely.

Useful for before, after, or instead of a car or truck wash, Vikan tools are extremely durable and well-suited for cleaning hard-to-reach spaces and caked-on grime. No matter if you are cleaning a tractor-trailer or a sedan, the Vikan Transport Line has solutions that provide fast and effective results.

Transport Sets



Transport line sets offer solutions for overall washing and detail cleaning, depending on your needs. Ranging from classic hand brushes to detail brushes small enough to clean out the narrowest seams in your truck, we have the transport brush set you need.




















	Part Number	Product Name	Length	Width	Height	Materials
	Bristle Type		Weight		Brand	
	521052	3 Brush Set	Varies	Varies	Varies	Polypropylene/ Polyethylene
	Soft-Split, Medium, Soft		Varies			
	549101	Easy Shine Kit	Varies	Varies	Varies	80% Polyester, 20% Polyamide/Aluminum/ Polypropylene
	N/A		Varies			
	556052	Set of 7 Detail Brushes	Varies	Varies	Varies	Polypropylene/ Polyethylene
	Soft		Varies			
	556452	Set of 2 Detail Brushes	Varies	Varies	Varies	Polypropylene/ Polyethylene
	Soft		Varies			



Transport Brooms and Brushes
















Vikan's line of transport brooms and brushes are designed to tackle everything from sweeping garages to cleaning dirty windows and tires. All our brushes and brooms are made of high-quality materials to increase their durability.

	Part Number	Product Name	Length	Width	Height	Materials
		Bristle Type	Weight		Brand	Additional Details
	311552	Garage Broom	17.32"	3.15"	5.51"	Wood/PVC
		Stiff	1.79 lbs.			
	311752	Garage Broom	26.18"	2.76"	5.71"	Wood/PVC
		Stiff	2.2 lbs.			
	475552	Waterfed Vehicle Brush	10.63"	3.94"	5.12"	Polypropylene/Polyester
		Soft/Split	0.9 lbs.			
	475752	Waterfed Vehicle Brush	14.57"	3.94"	4.72"	Polypropylene/Polyester
		Soft/Split	1.37 lbs.			
	524752	Waterfed Washing Brush	11.02"	5.91"	3.54"	Polypropylene/Polyester
		Soft/Split	1.1 lbs.			
	526852	Waterfed Vehicle Brush	9.84"	5.12"	6.3"	Polypropylene/Polyester
		Soft/Split	0.93 lbs.			
	526952	Waterfed Vehicle Brush	9.06"	3.94"	4.72"	Polypropylene/Polyester
		Soft/Split	0.86 lbs.			

Transport Handles



Our transport line brooms and brushes attach to any Vikan handles. Whether you need an extension handle for a high-low brush or a short waterfed handle for a vehicle brush, we offer the transport cleaning solutions you need.

	Part Number	Product Name	Length	Width	Height	Materials
			Weight		Brand	Additional Details
	293752	Aluminum Handle	59.25"	1.22"	1.22"	Aluminum/Polypropylene
			1.06 lbs.			
	297152Q	Waterfed Aluminum Telescopic Handle	41.73" - 62.99"	1.26"	1.26"	Aluminum/Polypropylene/ Chrome-Plated Brass
			1.39 lbs.			
	297352	Waterfed Aluminum Telescopic Handle	62.99" - 109.45"	1.22"	1.22"	Aluminum/Polypropylene/ Chrome-Plated Brass
			2.25 lbs.			
	297352Q	Waterfed Aluminum Telescopic Handle w/ Quick Disconnect	62.99" - 109.45"	1.22"	1.22"	Aluminum/Polypropylene/ Chrome-Plated Brass
			2.25 lbs.			
	297552	Aluminum Telescopic Handle	62.01" - 109.45"	1.26"	1.26"	Aluminum/Polypropylene/ Chrome-Plated Brass
			2.34 lbs.			






Product is waterfed.

Transport Brushes



Transport brushes from Vikan are specially designed to clean the dirt and grime that trucks accumulate. Whether you need to clean a fleet of semis or a single ambulance, Vikan brushes are a durable and efficient solution.











	Part Number	Product Name	Length	Width	Height	Materials
		Bristle Type	Weight		Brand	Additional Details
	524652	Hand Brush	12.6"	4.53"	1.22"	Polypropylene/Polyester
		Soft/Split	0.66 lbs.			
	525252	Multi Brush/Rim Cleaner	11.42"	2.76"	3.94"	Polypropylene/Polyester
		Soft/Split	0.29 lbs.			
	525352	Rim Cleaner	13.19"	2.56"	2.56"	Polyester/Polypropylene
		Stiff	0.2 lbs.			
	545252	Waterfed Rim Cleaner	9.45"	6.3"	4.13"	Polyester/Polypropylene
		Soft/Split	1.12 lbs.			
	631559	Interior Brush	6.1"	0.87"	0.87"	Polypropylene/Hair
		Medium	0.07 lbs.			



Transport Squeegees



Vikan vehicle squeegees are specifically designed to clean everything from large truck windshields to smaller side windows on a passenger car. Wipe-N-Shine squeegees can be used on their own or be attached to handles.

	Part Number	Product Name	Length	Width	Height	Materials
			Weight		Brand	Additional Details
	473852	Replacement Windshield Squeegee w/Sponge	7.87"	2.95"	1.85"	Polypropylene/Synthetic Rubber
			0.24 lbs.			
	473952	Windshield Squeegee w/ Sponge & Telescopic Handle	27.95" - 49.21"	3.15"	2.56"	Aluminum/Polypropylene/Synthetic Rubber
			0.68 lbs.			
	707752	Small Wipe-N-Shine	9.84"	8.27"	1.77"	POM/SEBS
			0.42 lbs.			
	707852	Wipe-N-Shine	13.78"	7.87"	1.85"	POM/SEBS
			0.46 lbs.			
	707952	Large Wipe-N-Shine	17.72"	7.48"	1.97"	POM/SEBS
			0.53 lbs.			





ColorCore is a general purpose, value-oriented line of color-coded cleaning tools from Remco. The ColorCore range provides users with a balance of cost, durability, and effectiveness that is well-suited for use in restaurants, hotels, commercial and government buildings, and light industrial facilities.

ColorCore Features

- A good balance of value, durability, and effectiveness
- An assortment of tools, each available in 6 colors, to help meet many common cleaning challenges
- Economically priced tools for lighter cleaning tasks
- Total-color construction that helps minimize the risk of cross-contamination by making it easier to properly identify and store tools
- Most tools are manufactured in TAA-compliant countries, making them suitable for government use

Suggested Applications

- Adding color-coding to 5S lean programs used in general manufacturing
- Separating cleaning tools by use (cleaning drains versus work tables)
- Identifying tools that belong in specific areas (restaurant kitchens versus dining rooms)
- General cleaning in commercial facilities like retail stores and office buildings
- Low-risk areas in food manufacturing facilities like offices or locker rooms



ColorCore tools are sufficient for many cleaning applications, but they are not intended to replace Vikan's Hygiene Line for high-risk applications like food manufacturing. Always conduct a thorough risk assessment before introducing new sanitation tools or plans.

Between Vikan's Hygiene Line and ColorCore, outfitting entire operations with trusted, effective, and color-coded tools is now easier than ever.

Non-Stock and Special Order Items

In addition to the tools that we already offer, Remco can source select Vikan tools that we do not currently stock.

These tools are not actively distributed in North America, but are available to those who cannot find a suitable alternative in our existing full line.

Special order items are only available in case quantities and are non-returnable. The lead time for delivery is 8 weeks.



Telescopic Handle
2977Q



Case Qty: 1

Glazing Brush
41813



Case Qty: 10

7 Piece Ice Cream
Machine Brush Kit
53575



Case Qty: 5

8 Piece Ice Cream
Machine Brush Kit
53584



Case Qty: 5

Pipe Brush
5380175x 3 4



Case Qty: 10

Ergonomic Shovel
56049



Case Qty: 1

40.5" T-Grip
One-Piece Shovel
56317



Case Qty: 5

Ergonomic Scoop
5671x 2 3 4 5 6



Case Qty: 10

Hand Shovel
5673x 2 3 4 5 6 7 8



Case Qty: 12

1.5 Gallon Bucket
5688x 1 2 3 4 5 6 7 8



Case Qty: 5

1.5 Gal. Bucket Lid
5689x 1 2 3 4 5 6 7 8



Case Qty: 5

Push Pull Hoe
5900x 2 3 4 5 6



Case Qty: 5

Tank Brush
703777



Case Qty: 10

Short Handle
High-Temp Paddle
70075



Case Qty: 1

Long Handle
High-Temp Paddle
70095



Case Qty: 1

Medium 12" Broom
7068x 2 3 4 5 6 7 8



Case Qty: 10

16" Double Blade
UH Squeegee
7712x 2 3 4 5 6



Case Qty: 10

16" Revolving Neck
Squeegee
7722x 2 3 4 5 6



Case Qty: 10

24" Revolving Neck
Squeegee
7724x 2 3 4 5 6



Case Qty: 10

16" Replacement
Squeegee
Cartridge
(For 7712x and 7722x)
7732x 2 3 4 5 6



Case Qty: 20

16" Double Blade
Swivel Neck
Squeegee
7762x 2 3 4 5 6



Case Qty: 10

24" Revolving Neck
Squeegee
77649



Case Qty: 10

Easy Hi Dust
Microfiber Kit
990102



Case Qty: 1

63"-113"
Telescopic QC
Waterfed Handle
2973Qx 2 3 4 5



Case Qty: 5

Waterfed Vehicle
Brush
525452



Case Qty: 5



Education & Technical Support

Giving you the knowledge and support you need

At Remco, we know that the decision to implement color-coding or to switch to hygienically designed tools isn't made in a single moment, but rather through a series of discussions, trainings, and learned practices. We're here to help every step of the way with our Hygiene Team's expert white papers, blogs, and webinars. Our Business Development Managers provide on-site training and support, too.

Blogs and Social Media:

Please visit remcoproducts.com/blog to view our blog articles. We cover topics like handwashing procedures, color-coding, 5S, FDA rulings, and solving common cleaning challenges. Follow us on social media for up-to-date food safety and hygienic design news. You can find our social media channels by visiting remcoproducts.com/socialmedia.

Site Surveys:

Our Business Development Managers are happy to visit your facility and offer suggestions for implementing color-coding and/or switching to more hygienic products. They can also recommend different zoning techniques they believe will work best for you based on Remco and Vikan's years of experience. To schedule a complementary Site Survey, please contact our customer service team at: cs@remcoproducts.com.

Educational and Technical Resources:

Contact our educational and technical resources manager for food safety training information and guidance on best practices. You can also ask about regulations, certifications, and compliance and be reassured you're getting the best, most up-to-date information possible. Email edtech@remcoproducts.com.

Documents of Compliance:

Food contact surfaces like cleaning and material handling tools must comply with the FDA's rules about what they can contain and how they must be designed. Documents of compliance show that tools fall within these parameters. Remco is happy to provide these documents for your records or in preparation for an audit at your request. Contact cs@remcoproducts.com.

A Selection of our White Papers:

- Color-Coding as a Preventive Control
- The Role of Manual Cleaning in Biofilm Prevention and Removal
- Implementing 5S in the Food Industry
- HACCP vs. HARPC
- Cleaning Tool Maintenance
- The Hygienic Design of Food Industry Brushware
- Dry Sanitation Solutions for the Food Industry

Please visit remcoproducts.com/knowledge-center to view and download our white papers.

View our archive of webinars at remcoproducts.com/us/services/webinar-archive.

Index

Product	Page
0616	22
0617	22
0618	22
2945	48, 49
2977	50
5346	38
5350	38
5523	51
5524	51
5525	51
6024	57
6024DRN	57
6036	57
6036DRN	57
6053	57
6053DRN	57
6268	50
6268B	50
6268N	50
6350	18, 57
6880EB	63
6892SS	62
6895SS	63
6896BKSS	63
6896SS	62
6897SS	62
6898SS	62
6900SS	62
6903	26
6904	26
6906	26
6913	26, 27
6921	26, 27
6922	26, 27
6923	26, 27
6925	27
6981RG	63
6982RG	63

Product	Page
6985SS	62
0703US	53
0615x	22
1011x	22
1012x	22
1013x	22
1014x	22
16200	22
2900x	20, 21, 55
2910x	20, 21
2911x	20, 21, 55
2914x	30
2915x	30
2916x	30
2920x	30
2934x	48, 49
2935x	48, 49
2936x	48, 49
2937x	48, 49
2938x	48, 49
2939x	48, 49
2958x	48, 49
2959x	48, 49
2960x	48, 49
2962x	48, 49
2964x	48, 49
2966x	48, 49
2968x	48, 49
29735	53
2973Q5	53
2975x	50
2983x	48, 49
2991Q5	53
30024	55
3088x	37
3103x	30
3104x	30
3166x	30

Product	Page
3171x	13, 31
3173x	13, 31
3174x	31
3175x	6, 31
3178x	30
3179x	31
3194x	31
3195x	6, 31
3199x	31
3587x	34
3885x	34
3890x	34
3894x	34
3951x	43
4010x	20, 21
4011x	20, 21
4012x	20, 21, 55
4051x	20, 21
4179x	13, 36
4185x	37
4186x	37
4192x	36
4194x	36
4195x	35
4196x	13, 37
4197x	42
4198x	36
4237x	37
4287x	37
42885	55
4401x	43, 56
44023	55
4581x	13, 35
4582x	35
4585x	13, 35
4587x	35
4589x	35
47535	55

Product	Page
53515	38
53525	38
5354x	38
5356x	38
5360x	38, 39
53619	42
5362x	38, 39
5365x	38, 39
5368x	38, 39
5370x	38, 39
53713	42
5372x	42
53743	42
5375x	38, 39
5376x	38, 39
5378x	38, 39
5379x	38, 39
53815	40, 41
53825	40, 41
53835	40, 41
53865	40, 41
53875	40, 41
53885	40, 41
5391x	38, 39
5500x	51, 57
5510x	51
5601x	16
5611x	16
5660x	18
5662x	18
5681x	18
5682x	18
5686x	23
5687x	23
5688x	23, 71
5689x	23, 71
56905	17
56915	17

Index

Product	Page
5692x	23
5693x	23
5700x	4, 5
6000x	19
6250x	18
6300x	19
6400x	19
6400MDx	24, 25
6440x	34
6500x	19
6500MDx	24, 25
6550x	19
6552x	19
6774x	17
6775x	17
6776x	17
6777x	17
6777MDx	24, 25
69015	26
69025	26
69055	26
69115	26, 27
69125	26, 27
69155	27
6959x	20, 21
6959MDx	24, 25
6960x	20, 21
6960MDx	24, 25
6961x	20, 21
6961MDx	24, 25
6962x	20, 21
6962MDx	24, 25
6963x	20, 21, 55
6971x	20, 21
6972x	20, 21
6981x	16
6981MDx	24, 25
6982x	16

Product	Page
6982MDx	24, 25
7011x	20, 21, 55
7013x	20, 21
7035x	40, 41
7037x	33
7039x	33
7040x	32
7041x	33, 52
7042x	32
7043x	33, 52
7047x	32
7057x	52
7060x	32
7062x	33
7064x	13, 33
7067x	32, 52
7125x	46, 47
7140x	44, 45
7150x	44, 45
7160x	44, 45
7170x	44, 45
7711x	46, 47
7713x	44, 45
7714x	44, 45
7715x	44, 45
7716x	46, 47
7731x	46, 47
7733x	46, 47
7734x	46, 47
7735x	46, 47
7751x	46, 47
7752x	44, 45
7753x	44, 45
7754x	44, 45
7755x	44, 45
7764x	44, 45
77715	47
7772x	47

Product	Page
7773x	47
7774x	47
7775x	47
8001x	59
8002x	59
8101x	59
8102x	59
8401x	59
8402x	59
8603x	59
8604x	59
9324x	52
9801x	50
9802x	50
555130x	13, 43
555230x	43
555250x	43
555270x	43
538050x	40
538063x	40
538077x	40
538090x	40
5380103x	40
538280x	7, 40, 41
293752	67
297152Q	67
297352	67
297352Q	67
297552	67
311552	66
311752	66
473852	69
473952	69
475552	66
475752	66
521052	65
524652	68
524752	66

Product	Page
525252	68
525352	68
525452	68
526852	66
526952	66
545252	68
549101	65
556052	65
556452	65
631559	68
707752	69
707852	69
707952	69

Notes



Remco

a Vikan company

4735 West 106th Street
Zionsville, Indiana 46077

PHONE: 317.876.9856 | FAX: 800.585.8619

cs@remcoproducts.com | www.remcoproducts.com