

More than you expected.

Goff's



# High Performance Doors

Increase efficiency & productivity in your facilities.

## Easily access your space and maximize efficiency at your facility.

Doors are often an overlooked opportunity for increased productivity and savings in a facility. They can be impactful to improving your employee's environment, increasing plant efficiency, and keeping areas separate and focused on the job at hand. With an array of premium features standard, Goff's High Performance doors provide the complete door solution.



### Breakaway Design

Goff's door design provides easy breakaway capability with auto-reset in the case of an impact, keeping you up and running.

### Built for your Future


Reduce downtime and cost of ownership with Goff's easy-to-replace and affordable panels, maximizing your ROI.

### Control your Environments

Your spaces are designed to work best for what they contain. High performance doors reduce cross contamination and control individual environments efficiently.

## Goff's Standard Features Package:

We believe excellence should come standard. That's why every Goff's High Performance Door comes with our standard features package:



- 1. Full Width Roll Cover** provides environmental separation & protection for your door.
- 2. Auto-reset after impact** included to reduce downtime or costly service calls.
- 3. Auto-close timer** ensures maximum environmental control at your facility.
- 4. Full-width window** included for increased safety and visibility in your facility.
- 5. Easily replaceable door panels** are quickly shipped and affordably priced if worn or damaged.
- 6. Fiberglass wind bars** resist bending, breaking, or taking a permanent set when impacted.



## Increase profitability & convenience at your facility.

Our G2 high performance doors are available with the options you want and the reliability you need for your facility. Whether you are looking for a high speed door fully integrated with your building's safety systems, or simply a reliable door to separate your spaces, G2 doors minimize downtime and maximize profitability in your facility.



10'x10' door with red, vision, gray, and blue replaceable panels.

AVAILABLE UP TO 16' x 16'

### G2 5400 Series

HIGH TRAFFIC

#### High speed, fully integrated, and sustainable.

Our Goff's G2 5400 series door includes our intelligent control system for maximum integration & functionality options. Built on our fully weather resistant G2 platform, the 5400 series is perfect for indoor or outdoor high traffic applications.

- **Door travels at 54"/sec.**, up to 120 cycles/hour.
- **Intelligent Control System** with PLC & VFD in a NEMA4X enclosure with easy-to-use Smart Touch Screen interface.
- **IP66 motor & IP67 42" light curtain sensor.**
- Ideal for **high traffic areas for forklifts or vehicles.**

**SPEED** ● ● ● ● ● ● ●

AVAILABLE UP TO 16' x 16'

### G2 4200 & 2800 Series

MED-HIGH TRAFFIC

#### Built to stand the test of time.

Built on our G2 platform, our 4200 & 2800 series doors feature weather resistant materials, and our intelligent control system.

- **Door travels at 28" or 42"/sec.**, up to 120 cycles/hour.
- **Intelligent Control System** with PLC & VFD in a NEMA4X enclosure with easy-to-use Smart Touch Screen interface.
- **IP66 motor & IP67 photo eye sensor.**
- Ideal for **medium-to-high traffic areas.**

**SPEED** ● ● ● ● ● ● ●

10'x14' door with blue & vision panels, mounted in Goff's door frame integrated into a Goff's Climate Curtain Wall for cold storage space.





## Ready for your toughest environments.

High performance doors need to put up with a lot during daily use. For the moisture, temperature, or chemical-prone areas, choose our Harsh Guard & Clean Guard doors. Built to operate smoothly regardless of their surroundings, these doors are carefully designed to make sure you can efficiently separate and protect your spaces from cross contamination.



AVAILABLE UP TO 16' x 16'

### Harsh Guard

CHEMICALS & EXTERIOR

#### Cover large openings with extreme conditions.

Our Goff's G2 Harsh Guard door is built to withstand the toughest environments. Built with corrosion-resistant materials, and backed by our strong warranty, Harsh Guard is designed to stand the test of time and keep your harsh spaces up and running.

- **Door travels at 28"/sec.** up to 120 cycles/hour.
- **Intelligent Control System** with PLC & VFD in a NEMA4X enclosure with easy-to-use Smart Touch Screen interface.
- **IP66 motor & IP67 photo eye sensor.**
- **Corrosion-resistant materials** for rust-free operation.
- Ideal for **high traffic moisture/chemical-prone areas.**

SPEED ● ● ● ● ● ● ●

10'x12' door pictured with replaceable black & vision panels.

AVAILABLE UP TO 12' x 12'

### Clean Guard

WASH DOWN AREAS

#### Keep your clean spaces separated.

Our Clean Guard door was designed & manufactured with wash down procedures in mind. Built to be quick moving and easily sanitized, Clean Guard keeps your clean areas separated from the rest of your facility to maximize up-time and productivity.

- **Door travels at 20" or 42"/sec.** up to 120 cycles/hour.
- **Intelligent Control System** with PLC & VFD in a NEMA4X enclosure with easy-to-use Smart Touch Screen interface.
- **IP66 motor & IP67 photo eye sensor.**
- **Corrosion-resistant materials** for rust-free operation.
- Ideal for **moisture/chemical-prone wash down areas.**

SPEED ● ● ● ● ● ● ●





## The ultimate car wash door solution.

Eliminate costly maintenance and increase the profitability at your car wash. Wash Guard doors are built with corrosion-resistant materials and are designed to break away and reset automatically in case of an impact. Without using failure prone items like cables, wheels, springs, counter-balance systems, or sewed construction, our doors stay up and running longer to help reduce operating costs.



AVAILABLE UP TO 14' x 14'

### Wash Guard Elite

CAR WASH & WASH BAY

#### Deliver an Elite car wash experience.

Our Wash Guard Elite door fully integrates with your operations and safety systems to provide a seamless experience. Combined with customizable panels & the Goff's standard features package, it's the perfect start-to-finish feature for your car wash experience.

- **Door travels at 36"/sec**, up to 120 cycles/hour.
- **Intelligent Control System** with PLC & VFD in a NEMA4X enclosure with easy-to-use Smart Touch Screen, **and an IP66 motor**.
- **IP66 motor & (2) sets of IP67 photo eye sensors**.
- Aluminum door guides with **integrated heating elements**.
- **26 oz vinyl** in 5 different colors available.
- (3) Vision panels and (2) NEMA4 push buttons.

**SPEED** ● ● ● ● ● ● ● ●

10'x12' door pictured with red, vision, and blue replaceable panels.

AVAILABLE UP TO 14' x 14'

### Wash Guard Plus

CAR WASH & WASH BAY

#### Sustainable, reliable, and customizable.

Our Wash Guard Plus door takes commands from your operations & safety systems for easy functionality. Wash Guard plus features vinyl colors to match your brand, and a design built to last.

- **Door travels at 28"/sec**, 60 cycles/hour.
- **Relay Control System in a NEMA4X enclosure and an IP66 motor** for reliable operation in wet environments.
- **(1) set of IP67 through-beam photo eye** safety sensors.
- **18oz vinyl** ordered to match your brand or building.
- (2) Vision panels and (1) NEMA4 push button.

**SPEED** ● ● ● ● ● ● ● ●



10'x10' door pictured with blue & vision replaceable panels.



AVAILABLE UP TO 16' x 16'

## G2 3600 Series

MEDIUM TRAFFIC

The G2 3600 series door is great for medium traffic areas, operating at 36"/sec making it an easy-to-use high speed solution for your interior openings.

- Door travels at **36"/sec**, up to 60 cycles/hour.
- Standard package includes **Vision Panel & Roll Cover**
- **Auto-close timer & automatic reset** after impact.
- **Reflective photo eye** safety sensor.

SPEED ● ● ● ● ● ●

10'x16' door pictured with black & yellow mesh replaceable panels.

AVAILABLE UP TO 16' x 16'

## Goff's Machine Guard


MACHINE SAFETY

The Machine Guard door is the ultimate safety addition to your automated manufacturing areas, creating a barrier between personnel and processes.

- Door travels at **42"/sec**, up to 120 cycles/hour.
- **Intelligent Control System** with PLC & VFD in a NEMA4X enclosure with easy-to-use Smart Touch Screen interface.
- **(2) PLe RF sensors and interlock control.**
- **UV-blocking window & 32 oz reinforced FR vinyl.**

SPEED ● ● ● ● ● ●

8'x10' door pictured with door support frame.



AVAILABLE UP TO 12' x 12'

## Goff's Model 2000

LOW-MED TRAFFIC

The Goff's Model 2000 door features our Relay Control System and PVC track guides. At 20"/sec, it is a great fit for the smaller interior openings at your facility.

- Door travels at **20"/sec**, up to 30 cycles/hour.
- Standard package includes **Vision Panel & Roll Cover**
- **Auto-close timer & automatic reset** after impact.
- **Reflective photo eye** safety sensor.
- Built with **corrosion-resistant** materials.

SPEED ● ● ● ● ● ●

10'x10" door pictured with green & vision replaceable panels.



## Equipped to fit your needs.



### Intelligent Control System

Our PLC & VFD system maximizes door functionality & efficiency, and comes standard with our easy-to-use Smart Touch Screen, all in a NEMA4X enclosure.



### Smart Touch Screen

NEMA4X rated touch interface that gives real time data from your Goff's doors including timer-to-close, sensor inputs, door cycle count, and even remote diagnostics!



### Relay Control System

Goff's Relay Control System features a relay logic board in a NEMA4X enclosure to interpret sensor and switch signals and control your high performance doors.



**Motion sensors** activate your door without need for remotes/buttons.



**RF with remote operation** option available for forklift & vehicle drivers.




**Pull Cord** available for pedestrians, fork lifts and other vehicle drivers.



**NEMA4 (3) button controller** option available for outdoor applications.

## Door Options & Accessories:



**1. Safety light curtains** provide a taller sensor area for increased safety.

**2. Magnetic floor loops** provide an concealed means of activating your doors.

**3. Structural door frames** let you add an opening in your curtains where one doesn't exist, but is required.

**4. Motion detectors** can sense incoming traffic & presence of obstruction in or near the opening.

## Goff's delivers more than you expected.

With over 30 years of experience, the Goff's team is committed to delivering the most reliable and innovative solutions to improve efficiency in your facility.

**(800) 234-0337 | [sales@goffscw.com](mailto:sales@goffscw.com)**

### Best Warranty on the Market

Goff's offers an industry-leading warranty for High Performance Doors that covers everything bumper-to-bumper including parts & labor for 3 years from date of purchase. We also cover the direct-drive motor for 5 years from date of purchase.

### Fastest Industry Lead Times

With the industry's fastest lead times, you can have your complete High Performance Door system installed to provide maximum efficiency at your facility in no time. This will minimize downtime & maximize productivity.

### Customer Care & Tech Support

The Goff's customer care & tech support team is available to answer any questions you have about your high performance doors, making sure you not only get the most out of your investment, but ensure it runs smoothly for years to come.

#### CHECK OUT OUR OSHA FALL PROTECTION SOLUTION:

### How are you providing OSHA required fall protection at your loading dock today?

Did you know that **25% of all injuries at manufacturing facilities occur at the loading dock?** Upgrade your dock doors to provide the ultimate loading dock fall protection system with Fall Guard, our patent pending market-leading solution for the loading dock.




The Other Guys



Dock Chain System

The Other Guys



Dock Gate System



Fall Guard Safety System

While the other guys aim to check the OSHA box, they create additional risk by allowing falls over or through their "barrier." **Fall Guard creates a complete safety zone** covering the entire opening of your loading dock, ensuring maximum safety while minimizing risk at your facility.



**ENTERPRISES**



(877) 247-3834 - [dacocorp.com](http://dacocorp.com)